

JIN TYPE - HUMERUS NAILING SYSTEM

JIN TYPE - HUMERUS NAILING SYSTEM



edition
2022

 **Auxein**[®]

about us

Auxein Medical is an integrated, research based, orthopaedic Implants & Instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and innovator products that exceed the highest expectations of our customers in term of quality and safety. The company has world-class manufacturing unit established in India and serves customers in over 60 countries worldwide.

Our Achievements

- US FDA 510K APPROVED •**
(Arthroscopy, Spine, Nailing, Locking Plates & Screws)
- EC Certificate - Class IIa & IIb •
- ISO 13485:2016 •
- ISO 9001:2015 •
- India FDA Approved •
- India MDR 2017 •

Orthopaedic Implants

JIN Type - Humerus Nail

Ø Dia	Length	Stainless Steel	Titanium
6mm	180mm	1296-6-180	TI-1296-6-180
6mm	200mm	1296-6-200	TI-1296-6-200
6mm	220mm	1296-6-220	TI-1296-6-220
6mm	240mm	1296-6-240	TI-1296-6-240
6mm	260mm	1296-6-260	TI-1296-6-260
6mm	280mm	1296-6-280	TI-1296-6-280
6mm	300mm	1296-6-300	TI-1296-6-300
6mm	320mm	1296-6-320	TI-1296-6-320
7mm	180mm	1296-7-180	TI-1296-7-180
7mm	200mm	1296-7-200	TI-1296-7-200
7mm	220mm	1296-7-220	TI-1296-7-220
7mm	240mm	1296-7-240	TI-1296-7-240
7mm	260mm	1296-7-260	TI-1296-7-260
7mm	280mm	1296-7-280	TI-1296-7-280
7mm	300mm	1296-7-300	TI-1296-7-300
7mm	320mm	1296-7-320	TI-1296-7-320
8mm	180mm	1296-8-180	TI-1296-8-180
8mm	200mm	1296-8-200	TI-1296-8-200
8mm	220mm	1296-8-220	TI-1296-8-220
8mm	240mm	1296-8-240	TI-1296-8-240
8mm	260mm	1296-8-260	TI-1296-8-260
8mm	280mm	1296-8-280	TI-1296-8-280
8mm	300mm	1296-8-300	TI-1296-8-300
8mm	320mm	1296-8-320	TI-1296-8-320
9mm	180mm	1296-9-180	TI-1296-9-180
9mm	200mm	1296-9-200	TI-1296-9-200
9mm	220mm	1296-9-220	TI-1296-9-220
9mm	240mm	1296-9-240	TI-1296-9-240
9mm	260mm	1296-9-260	TI-1296-9-260
9mm	280mm	1296-9-280	TI-1296-9-280
9mm	300mm	1296-9-300	TI-1296-9-300
9mm	320mm	1296-9-320	TI-1296-9-320
10mm	180mm	1296-10-180	TI-1296-10-180
10mm	200mm	1296-10-200	TI-1296-10-200
10mm	220mm	1296-10-220	TI-1296-10-220
10mm	240mm	1296-10-240	TI-1296-10-240
10mm	260mm	1296-10-260	TI-1296-10-260
10mm	280mm	1296-10-280	TI-1296-10-280
10mm	300mm	1296-10-300	TI-1296-10-300
10mm	320mm	1296-10-320	TI-1296-10-320



Stainless Steel

Titanium

End Cap For JIN Type - Humerus Nail


Stainless Steel	Titanium
1296-001	TI-1296-001



Ø3.5mm Locking Bolt, Self-Tapping, For JIN Type - Humerus Nail

Length	Stainless Steel	Titanium
20mm	1296-3.5-20	TI-1296-3.5-20
25mm	1296-3.5-25	TI-1296-3.5-25
30mm	1296-3.5-30	TI-1296-3.5-30
35mm	1296-3.5-35	TI-1296-3.5-35
40mm	1296-3.5-40	TI-1296-3.5-40
45mm	1296-3.5-45	TI-1296-3.5-45
50mm	1296-3.5-50	TI-1296-3.5-50
55mm	1296-3.5-55	TI-1296-3.5-55
60mm	1296-3.5-60	TI-1296-3.5-60
65mm	1296-3.5-65	TI-1296-3.5-65
70mm	1296-3.5-70	TI-1296-3.5-70
75mm	1296-3.5-75	TI-1296-3.5-75
80mm	1296-3.5-80	TI-1296-3.5-80




1-017 Implant Box for JIN Type - Humerus Nail



Tray 1



Dia	Length	Qty
Ø6mm	180mm to 320mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement

Tray 2



Dia	Length	Qty
Ø7mm	180mm to 320mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement

Tray 3



Dia	Length	Qty
Ø8mm	180mm to 320mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement

Tray 4



Dia	Length	Qty
Ø9mm	180mm to 320mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement

Tray 5


Dia	Length	Qty
Ø10mm	180mm to 320mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement



Ø3.5mm Locking Bolt, Self-Tapping, For JIN Type - Humerus Nail

Dia	Length	Qty
Ø3.5mm	20mm to 80mm	6pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*

End Cap For JIN Type - Humerus Nail

Qty
2pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*

INS-1296-01 Proximal Targeting Arm for JIN Type - Humerus Nail



INS-1296-02 Distal Targeting Arm for JIN Type - Humerus Nail



INS-1296-03 Bolt for Distal Targeting Device M6 - Hex 5mm, for JIN Type - Humerus Nail



INS-1296-04 Positioning Rod Ø5mm for JIN Type - Humerus Nail



INS-1296-05 Positioning Block for JIN Type - Humerus Nail



INS-1296-06 Trocar Ø6mm for JIN Type - Humerus Nail



INS-1296-08 Drill Sleeve 8/5.7mm for Drill Bit Ø5.5mm - JIN Type - Humerus Nail




INS-1296-10 Drill Sleeve Ø8/6mm for JIN Type - Humerus Nail



INS-1296-11 Depth Gauge Drill Sleeve Ø6mm for Drill Bit Ø2.9/3.5mm - JIN Type - Humerus Nail



INS-1296-12 Insertion Handle for JIN Type - Humerus Nail



INS-1296-13 Nail Holding Bolt for JIN Type - Humerus Nail



INS-1296-15 Step Drill Bit Plain Shank/Jacob Chuck End Ø2.9/3.5mm x Length 250mm for JIN Type - Humerus Nail



INS-1296-16 Distal Targeting Device for Length 180mm To 320mm - JIN Type - Humerus Nail



INS-1296-07 Drill Bit Plain Shank/Jacob Chuck End Ø5.5mm x Length 300mm, for JIN Type - Humerus Nail



INS-1296-17 Cannulated Awl for JIN Type - Humerus Nail



INS-1296-18 Combination Wrench 12mm for JIN Type - Humerus Nail



INS-1296-19 Handle For Reamer (AO Connection) for JIN Type - Humerus Nail



INS-1296-20 Allen Key, Hex 5mm for JIN Type - Humerus Nail



INS-1296-21 T-Handle Screwdriver, Hex 3.5mm, for JIN Type - Humerus Nail



INS-1296-22 Ø5.5mm T-Handle Drill Bit with Flat End for JIN Type - Humerus Nail



INS-1296-23 T-Handle Tap for Ø3.5mm Locking Bolt - JIN Type - Humerus Nail



INS-1296-24 T-Handle Screwdriver, Hex 2.5mm, for JIN Type - Humerus Nail



INS-1296-26 Fixed Reamer Ø7.0mm x Length 400mm with Quick Coupling End for JIN Type - Humerus Nail



INS-1296-27 Fixed Reamer Ø8.0mm x Length 400mm with Quick Coupling End for JIN Type - Humerus Nail



INS-1296-28 Fixed Reamer Ø9.0mm x Length 400mm with Quick Coupling End for JIN Type - Humerus Nail



INS-1296-29 Fixed Reamer Ø10.0mm x Length 400mm with Quick Coupling End for JIN Type - Humerus Nail



7-023-04 Flexible Reamer Ø6.5mm for JIN Type - Humerus Nail



7-023-05 Flexible Reamer Ø7.0mm for JIN Type - Humerus Nail



7-023-06 Flexible Reamer Ø8.0mm for JIN Type - Humerus Nail



7-023-07 Flexible Reamer Ø9.0mm for JIN Type - Humerus Nail




7-023-13 Flexible Reamer Ø10.0mm for JIN Type - Humerus Nail



7-023-01 Protection Sleeve for Entry Reamer - JIN Type - Humerus Nail



7-023-03 Quick Coupling Handle for Jacob Connection for JIN Type - Humerus Nail



7-023-08 Radiographic Ruler for JIN Type - Humerus Nail



7-023-15 Guide Wire with Threaded Tip, Ø2.5mm x Thread Length 10mm x Length 200mm



7-023-14 Extraction Handle for JIN Type- Humerus Nail



INS-1296-30 Extraction Rod with Ram for JIN Type- Humerus Nail



7-023-02 Entry Reamer for JIN Type- Humerus Nail



7-023-09 Wire Pusher for JIN Type- Humerus Nail




7-023-11 Reduction Device for JIN Type- Humerus Nail



7-023-12 Plastic Exchange Tube for JIN Type- Humerus Nail



INS-1296-32 Guide Wire with Ball Tip Ø2.5/3.2mm x Length 1000mm - Stainless Steel, for JIN Type- Humerus Nail



7-023-16


Guide Wire without Ball Tip Ø2.5mm x Length 1000mm - Stainless Steel, for JIN Type- Humerus Nail

**INS-1296T**


Instrument Trays For JIN Type - Humerus Nailing Set

**INS-1296B**

Container For JIN Type - Humerus Nailing Set



INS-1296-000 JIN Type - Humerus Nailing Instrument Set



INS-1296-000 JIN Type- Humerus Nailing Instrument Set

Code	Set Consisting of	Units
INS-1296-01	Proximal Targeting Arm for JIN Type - Humerus Nail	1
INS-1296-02	Distal Targeting Arm for JIN Type - Humerus Nail	1
INS-1296-03	Bolt for Distal Targeting Device M6 - Hex 5mm, for JIN Type - Humerus Nail	2
INS-1296-04	Positioning Rod Ø5mm for JIN Type - Humerus Nail	1
INS-1296-05	Positioning Block for JIN Type - Humerus Nail	1
INS-1296-06	Trocar Ø6mm for JIN Type - Humerus Nail	1
INS-1296-08	Drill Sleeve 8/5.7mm for Drill Bit Ø5.5mm - JIN Type - Humerus Nail	1
INS-1296-10	Drill Sleeve Ø8/6mm for JIN Type - Humerus Nail	2
INS-1296-11	Depth Gauge Drill Sleeve Ø6mm for Drill Bit Ø2.9/3.5mm - JIN Type - Humerus Nail	1
INS-1296-12	Insertion Handle for JIN Type - Humerus Nail	1
INS-1296-13	Nail Holding Bolt for JIN Type - Humerus Nail	1
INS-1296-15	Step Drill Bit Plain Shank/Jacob Chuck End Ø2.9/3.5mm x Length 250mm for JIN Type - Humerus Nail	2
INS-1296-16	Distal Targeting Device for Length 180mm To 320mm - JIN Type - Humerus Nail	1
INS-1296-07	Drill Bit Plain Shank/Jacob Chuck End Ø5.5mm x Length 300mm, for JIN Type - Humerus Nail	1
INS-1296-17	Cannulated Awl for JIN Type - Humerus Nail	1
INS-1296-18	Combination Wrench 12mm for JIN Type - Humerus Nail	1
INS-1296-19	Handle For Reamer (AO Connection) for JIN Type - Humerus Nail	1
INS-1296-20	Allen Key, Hex 5mm for JIN Type - Humerus Nail	1
INS-1296-21	T-Handle Screwdriver, Hex 3.5mm, for JIN Type - Humerus Nail	1
INS-1296-22	Ø5.5mm T-Handle Drill Bit with Flat End for JIN Type - Humerus Nail	1
INS-1296-23	T-Handle Tap for Ø3.5mm Locking Bolt - JIN Type - Humerus Nail	1
INS-1296-24	T-Handle Screwdriver, Hex 2.5mm, for JIN Type - Humerus Nail	1
INS-1296-26	Fixed Reamer Ø7.0mm x Length 400mm with Quick Coupling End for JIN Type - Humerus Nail	1
INS-1296-27	Fixed Reamer Ø8.0mm x Length 400mm with Quick Coupling End for JIN Type - Humerus Nail	1
INS-1296-28	Fixed Reamer Ø9.0mm x Length 400mm with Quick Coupling End for JIN Type - Humerus Nail	1
INS-1296-29	Fixed Reamer Ø10.0mm x Length 400mm with Quick Coupling End for JIN Type - Humerus Nail	1
7-023-04	Flexible Reamer Ø6.5mm for JIN Type - Humerus Nail	1
7-023-05	Flexible Reamer Ø7.0mm for JIN Type - Humerus Nail	1
7-023-06	Flexible Reamer Ø8.0mm for JIN Type - Humerus Nail	1
7-023-07	Flexible Reamer Ø9.0mm for JIN Type - Humerus Nail	1
7-023-13	Flexible Reamer Ø10.0mm for JIN Type - Humerus Nail	1
7-023-01	Protection Sleeve for Entry Reamer - JIN Type - Humerus Nail	1
7-023-03	Quick Coupling Handle for Jacob Connection for JIN Type - Humerus Nail	1
7-023-08	Radiographic Ruler for JIN Type - Humerus Nail	1
7-023-15	Guide Wire with Threaded Tip, Ø2.5mm x Thread Length 10mm x Length 200mm	3

Code	Set Consisting of	Units
7-023-14	Extraction Handle for JIN Type- Humerus Nail	1
INS-1296-30	Extraction Rod with Ram for JIN Type- Humerus Nail	1
7-023-02	Entry Reamer for JIN Type- Humerus Nail	1
7-023-09	Wire Pusher for JIN Type- Humerus Nail	1
7-023-11	Reduction Device for JIN Type- Humerus Nail	1
7-023-12	Plastic Exchange Tube for JIN Type- Humerus Nail	1
INS-1296-32	Guide Wire with Ball Tip Ø2.5/3.2mm x Length 1000mm - Stainless Steel, for JIN Type- Humerus Nail	1
7-023-16	Guide Wire without Ball Tip Ø2.5mm x Length 1000mm - Stainless Steel, for JIN Type- Humerus Nail	1
INS-1296T	Instrument Trays For JIN Type - Humerus Nailing Set	3
INS-1296B	Container For JIN Type - Humerus Nailing Set	1



USA

Auxein Inc.
1500 Nw 89th Court, Suite 107-108
Doral, Florida 33172
Tel: +1 305 395 6062
E Fax: +1 305 395 6262
Email: USoffice@auxein.com

MEXICO

Auxein México, S.A. de C.V.
Tepic 139 int 801, Colonia Roma Sur,
Alcaldía Cuauhtémoc, CDMX,
México, C.P. 06760
Tel: +521 55 7261 0318
Email: info@auxein.mx

INDIA

Auxein Medical Pvt. Ltd.
Plot No. 168-169-170, Phase-4,
Kundli Industrial Area,
HSIIDC, Sector-57, Sonapat - 131028, Haryana
Tel: +91 99106 43638 | Fax: +91 86077 70197
Email: info@auxein.com