

WISE-LOCK SYSTEM

WISE-LOCK System



edition
2022

 **Auxein**[®]

about us

Auxein Medical is an integrated, research based, orthopaedic Implants & Instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and innovator products that exceed the highest expectations of our customers in term of quality and safety. The company has world-class manufacturing unit established in India and serves customers in over 60 countries worldwide.

Our Achievements

- US FDA 510K APPROVED •**
(Arthroscopy, Spine, Nailing, Locking Plates & Screws)
- EC Certificate - Class IIa & IIb •
- ISO 13485:2016 •
- ISO 9001:2015 •
- India FDA Approved •
- India MDR 2017 •

Orthopaedic Implants


Contents

2.4mm Wise-Lock Distal Radius System	1.1-1.29
3.5mm Wise-Lock Small Fragment System	2.1 - 2.103
5.0mm Wise-Lock Large Fragment System	3.0 - 3.50
5.0mm Wise-Lock Osteotomy System	4.1 - 4.12
5.0mm Wise-Lock Large Fragment LISS System	5.1 - 5.22

WISE-LOCK SYSTEM

2.4mm

Wise-Lock Distal Radius



Indications

Displaced extra-articular and intra-articular distal radius fractures and corrective osteotomies of the distal radius.

Dorsal Approach

- Dorsally displaced fractures
- Extra-articular fractures with metaphyseal defect
- Combination of distal radius with carpal and metacarpal fractures
- Corrective osteotomies

2.4mm Wise-Lock Distal Radius Dorsal Plate, Straight



Holes	Titanium
5	TI-M01.05
6	TI-M01.06

Round Locking Hole




Compression and Locking Hole



2.4mm Wise-Lock "T" Distal Radius Dorsal Plate, (3 Head Holes)




Holes	Titanium
3	TI-M08.03
4	TI-M08.04

2.4mm Wise-Lock “L” Distal Radius Dorsal Plate, (2 Head Holes)



Holes	Left Direction	Right Direction
	Titanium	Titanium
3	TI-M02.03	TI-M03.03
4	TI-M02.04	TI-M03.04

2.4mm Wise-Lock “L” Distal Radius Dorsal Plate, (3 Head Holes)


Holes	Left Direction	Right Direction
	Titanium	Titanium
3	TI-M04.03	TI-M05.03
4	TI-M04.04	TI-M05.04

2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, Oblique


Holes	Left Direction	Right Direction
	Titanium	Titanium
3	TI-M06.03	TI-M07.03
4	TI-M06.04	TI-M07.04



Indications

Displaced extra-articular and intra-articular distal radius fractures and corrective osteotomies of the distal radius.

Palmar Approach

- Reversed Barton
- Palmarly displaced extra-articular fractures (Goyrand-Smith)
- Dorsally displaced extra-articular (Colles) and articular fractures
- Extra-articular fractures with extension into the shaft (extra-long plates)

2.4mm Wise-Lock Distal Radius Volar Plate, (5 Head Holes)




Round Locking Hole




Compression and Locking Hole



Holes	Left Direction	Right Direction
	Titanium	Titanium
3	TI-M09.03	TI-M10.03
5	TI-M09.05	TI-M10.05




2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (5 Head Holes)




Holes	Left Direction	Right Direction
	Titanium	Titanium
3	TI-M12.03	TI-M13.03
5	TI-M12.05	TI-M13.05


2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (4 Head Holes)



Holes	Left Direction	Right Direction
	Titanium	Titanium
3	TI-M14.03	TI-M15.03
5	TI-M14.05	TI-M15.05

2.4mm Wise-Lock Volar Buttress Plate, (5 Head Holes)


Round
Locking Hole




Compression and
Locking Hole




	Left Direction	Right Direction
Holes	Titanium	Titanium
3	TI-M11.03L	TI-M11.03R

2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Long, (4 Head Holes)



Round Locking Hole




Compression and Locking Hole



Head with 4 Holes

Holes	Titanium
8	TI-M16.08
10	TI-M16.10
12	TI-M16.12

**Indications**

The Wise-Lock Volar Column Plate 2.4 is indicated for the fixation of complex intra- and extra-articular fractures and osteotomies of the distal radius and other small bones.

2.4mm Wise-Lock Volar Column Distal Radius Plate, (8 Head Holes)



Round Locking Hole



Compression and Locking Hole




Holes	Left Direction	Right Direction
	Titanium	Titanium
3	TI-759.103L	TI-759.103R
4	TI-759.104L	TI-759.104R
5	TI-759.105L	TI-759.105R

2.4mm Wise-Lock Volar Column Distal Radius Plate, Extra articular (9 Head Holes)



Holes	Left Direction	Right Direction
	Titanium	Titanium
3	TI-759.203L	TI-759.203R
4	TI-759.204L	TI-759.204R
5	TI-759.205L	TI-759.205R




Indications

Extra-articular and intra-articular fractures of the proximal radius and multi-fragmented radial neck fractures

2.4mm Wise-Lock Proximal Radius Plate for Radial Head Rim



Holes	Left Direction	Right Direction
	Titanium	Titanium
2	TI-544.002L	TI-544.002R
3	TI-544.003L	TI-544.003R
4	TI-544.004L	TI-544.004R




2.4mm Wise-Lock Proximal Radius Plate for Radial Head Neck



Holes	Titanium
2	TI-545.002
3	TI-545.003
4	TI-545.004


2.5mm Wise-Lock "T" Wrist Volar Plate

 2.5mm Round
Locking Hole

 3.5mm Round
Locking Hole


Holes	Left Direction	Right Direction
	Titanium	Titanium
3	6137.06	6136.06
4	6137.01	6136.01
5	6137.07	6136.07
6	6137.02	6136.02
7	6137.08	6136.08
8	6137.03	6136.03
10	6137.09	6136.09
12	6137.10	6136.10

2.5mm Volar Screw, Self-Tapping, Full Thread

Length (mm)	Titanium
10	6151.10
12	6151.01
14	6151.02
16	6151.03
18	6151.04
20	6151.05
22	6151.06
24	6151.07
26	6151.08
28	6151.09
30	6151.11



2.5mm Volar Screw, Self-Tapping, Partial Thread



Length (mm)	Titanium
10	6152.11
12	6152.01
14	6152.02
16	6152.03
18	6152.04
20	6152.05
22	6152.06
24	6152.07
26	6152.08
28	6152.09
30	6152.10

2.0mm Peg Screw

Length (mm)	Titanium
10	6153.09
12	6153.10
14	6153.11
16	6153.01
18	6153.02
20	6153.03
22	6153.04
24	6153.05
26	6153.06
28	6153.07
30	6153.08



2.4mm Cortical Screw, Self-Tapping, (Hex Head)

Length (mm)	Titanium
6	TI-M18.06
8	TI-M18.08
10	TI-M18.10
12	TI-M18.12
14	TI-M18.14
16	TI-M18.16
18	TI-M18.18
20	TI-M18.20
22	TI-M18.22
24	TI-M18.24
26	TI-M18.26
28	TI-M18.28
30	TI-M18.30


2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head)



Length (mm)	Titanium
6	TI-M17.06
8	TI-M17.08
10	TI-M17.10
12	TI-M17.12
14	TI-M17.14
16	TI-M17.16
18	TI-M17.18
20	TI-M17.20
22	TI-M17.22
24	TI-M17.24
26	TI-M17.26
28	TI-M17.28
30	TI-M17.30


2.7mm Cortical Screw, Self-Tapping, (Hex Head)

Length (mm)	Titanium
6	TI-103.206
8	TI-103.208
10	TI-103.210
12	TI-103.212
14	TI-103.214
16	TI-103.216
18	TI-103.218
20	TI-103.220
22	TI-103.222
24	TI-103.224
26	TI-103.226
28	TI-103.228
30	TI-103.230



2105-04 Implant Box with cover for 2.4mm Wise-Lock Distal Radius system



10-048 2.4mm Wise-Lock Distal Radius Implant Set - Dorsal & Volar

Codes	Set consisting of:	Units
TI-M01.05	2.4mm Wise-Lock Distal Radius Dorsal Plate, Straight, 5 Holes	1 Pcs
TI-M01.06	2.4mm Wise-Lock Distal Radius Dorsal Plate, Straight, 6 Holes	1 Pcs
TI-M08.03	2.4mm Wise-Lock "T" Distal Radius Dorsal Plate, (3 Head Holes), 3 Holes	1 Pcs
TI-M08.04	2.4mm Wise-Lock "T" Distal Radius Dorsal Plate, (3 Head Holes), 4 Holes	1 Pcs
TI-M02.03	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (2 Head Holes), 3 Holes - Left	1 Pcs
TI-M03.03	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (2 Head Holes), 3 Holes - Right	1 Pcs
TI-M02.04	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (2 Head Holes), 4 Holes - Left	1 Pcs
TI-M03.04	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (2 Head Holes), 4 Holes - Right	1 Pcs
TI-M04.03	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (3 Head Holes), 3 Holes - Left	1 Pcs
TI-M05.03	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, Right Angled (Head with 3 Holes), 3 Holes	1 Pcs
TI-M04.04	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (3 Head Holes), 3 Holes - Right	1 Pcs
TI-M05.04	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (3 Head Holes), 4 Holes - Right	1 Pcs
TI-M06.03	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, Oblique, 3 Holes - Left	1 Pcs
TI-M07.03	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, Oblique, 3 Holes - Right	1 Pcs
TI-M06.04	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, Oblique, 4 Holes - Left	1 Pcs
TI-M07.04	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, Oblique, 4 Holes - Right	1 Pcs

Codes	Set consisting of:	Units
TI-M09.03	2.4mm Wise-Lock Distal Radius Volar Plate, (5 Head Holes), 3 Holes - Left	1 Pcs
TI-M10.03	2.4mm Wise-Lock Distal Radius Volar Plate, (5 Head Holes), 3 Holes - Right	1 Pcs
TI-M09.05	2.4mm Wise-Lock Distal Radius Volar Plate, (5 Head Holes), 5 Holes - Left	1 Pcs
TI-M10.05	2.4mm Wise-Lock Distal Radius Volar Plate, (5 Head Holes), 5 Holes - Right	1 Pcs
TI-M12.03	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (5 Head Holes), 3 Holes - Left	1 Pcs
TI-M13.03	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (5 Head Holes), 3 Holes - Right	1 Pcs
TI-M12.05	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (5 Head Holes), 5 Holes - Left	1 Pcs
TI-M13.05	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (5 Head Holes), 5 Holes - Right	1 Pcs
TI-M14.03	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (4 Head Holes), 3 Holes - Left	1 Pcs
TI-M15.03	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (4 Head Holes), 3 Holes - Right	1 Pcs
TI-M14.05	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (4 Head Holes), 5 Holes - Left	1 Pcs
TI-M15.05	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (4 Head Holes), 5 Holes - Right	1 Pcs
TI-M16.08	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Long, (4 Head Holes), 8 Holes	1 Pcs
TI-M16.10	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Long, (4 Head Holes), 10 Holes	1 Pcs
TI-M16.12	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Long, (4 Head Holes), 12 Holes	1 Pcs
TI-M11.03L	2.4mm Wise-Lock Volar Buttress Plate, (5 Head Holes), 3 Holes - Left	1 Pcs
TI-M11.03R	2.4mm Wise-Lock Volar Buttress Plate, (5 Head Holes), 3 Holes - Right	1 Pcs

Codes	Set consisting of:	Units
TI-M18.06	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 6mm, Titanium	4 Pcs
TI-M18.08	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 8mm, Titanium	4 Pcs
TI-M18.10	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 10mm, Titanium	4 Pcs
TI-M18.12	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 12mm, Titanium	4 Pcs
TI-M18.14	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 14mm, Titanium	4 Pcs
TI-M18.16	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 16mm, Titanium	4 Pcs
TI-M18.18	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 18mm, Titanium	4 Pcs
TI-M18.20	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 20mm, Titanium	4 Pcs
TI-M18.22	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 22mm, Titanium	4 Pcs
TI-M18.24	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 24mm, Titanium	4 Pcs
TI-M18.26	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 26mm, Titanium	4 Pcs
TI-M18.28	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 28mm, Titanium	4 Pcs
TI-M18.30	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 30mm, Titanium	4 Pcs
TI-M17.06	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 6mm, Titanium	6 Pcs
TI-M17.08	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 8mm, Titanium	6 Pcs
TI-M17.10	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 10mm, Titanium	6 Pcs
TI-M17.12	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 12mm, Titanium	6 Pcs
TI-M17.14	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 14mm, Titanium	6 Pcs
TI-M17.16	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 16mm, Titanium	6 Pcs
TI-M17.18	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 18mm, Titanium	6 Pcs
TI-M17.20	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 20mm, Titanium	6 Pcs
TI-M17.22	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 22mm, Titanium	6 Pcs
TI-M17.24	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 24mm, Titanium	6 Pcs
TI-M17.26	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 26mm, Titanium	6 Pcs
TI-M17.28	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 28mm, Titanium	6 Pcs
TI-M17.30	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 30mm, Titanium	6 Pcs
TI-103.206	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 6mm, Titanium	4 Pcs
TI-103.208	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 8mm, Titanium	4 Pcs
TI-103.210	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 10mm, Titanium	4 Pcs
TI-103.212	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 12mm, Titanium	4 Pcs
TI-103.214	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 14mm, Titanium	4 Pcs
TI-103.216	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 16mm, Titanium	4 Pcs
TI-103.218	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 18mm, Titanium	4 Pcs
TI-103.220	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 20mm, Titanium	4 Pcs
TI-103.222	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 22mm, Titanium	4 Pcs
TI-103.224	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 24mm, Titanium	4 Pcs
TI-103.226	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 26mm, Titanium	4 Pcs
TI-103.228	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 28mm, Titanium	4 Pcs
TI-103.230	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 30mm, Titanium	4 Pcs

1312-04-1.8

Drill Bit with Quick Coupling End, Ø1.8mm x Length 140mm, for Distal Radius

**1312-05-2.0**

Drill Bit with Quick Coupling End, Ø2.0mm x Length 140mm, for Distal Radius

**1312-06-2.4**

Drill Bit with Quick Coupling End, Ø2.4mm x Length 140mm, for Distal Radius

**1312-07-2.7**

Drill Bit with Quick Coupling End, Ø2.7mm x Length 140mm, for Distal Radius

**2105-01**

Guide Wire with One Sided Trocar Tip, Ø1.5mm x Length 150mm

**2105-02**

Guide Wire with Threaded Tip, Ø1.5mm x Thread Length 5mm x Length 150mm



7-055-03

 Self-Centering Double Drill Guide, \varnothing 1.8/2.4mm, for Distal Radius

7-055-04

 Self-Centering Double Drill Guide, \varnothing 2.0/2.7mm, for Distal Radius

1312-01

Depth Gauge measuring upto 60mm for Distal Radius


1312-21

Torque Limiting Attachment, 0.8Nm, for Distal Radius


7-019-03

Handle for Torque Limiting Attachment for Distal Radius


1312-22

Quick Coupling Handle for Distal Radius



1312-17

Depth Gauge with Protector measuring upto 50mm, for Distal Radius

**1312-29**

Sharp Hook for Distal Radius

**1312-02**

T-Handle With Quick Coupling for Distal Radius

**1312-22-6.5**

Retractor, 6.5mm, for Distal Radius

**1312-03-15**

Retractor, 15mm, for Distal Radius

**1312-23**

Double Periosteal Elevator, Round, for Distal Radius



1312-24 Double Periosteal Elevator, Flat, for Distal Radius



1312-25 Reduction Forcep with Points, Small, for Distal Radius



1312-26 Reduction Forcep with Points, Large, for Distal Radius



1312-27 Reduction Forcep with Points, Serrated, for Distal Radius



1312-28 Bending Forcep for Distal Radius



2105-03 Screwdriver, Hex 2.0mm, for Distal Radius



2105-07 Screwdriver Shaft, Hex 2.0mm, for Distal Radius



1312-10-2.4 Tap, HA 2.4mm for Distal Radius




1312-11-2.7 Tap, HA 2.7mm for Distal Radius



1312-14-2.0 Threaded Drill Sleeve Ø2.0mm/2.7mm for Distal Radius



7-055-02 Threaded Drill Sleeve Ø1.8mm/2.4mm (Single Start Thread), for Distal Radius



1312-20-2.7 Screw Holding Sleeve for 2.7mm Cortical Screw - Distal Radius



1312-20-2.4

Screw Holding Sleeve for 2.4mm Cortical Screw - Distal Radius


1312-30-2.4

Screw Holding Sleeve for 2.4mm Wise-lock Screw - Distal Radius


7-055-01

Instrument Trays for 2.4mm Wise-Lock Distal Radius Instrument Set


2105-04



Implant Box with cover for 2.4mm Wise-Lock Distal Radius system


2105-05

Container for 2.4mm Wise-Lock Distal Radius Instrument Set



2300-000 2.4mm Wise-Lock Distal Radius Instrument Set



2300-000 2.4mm Wise-Lock Distal Radius Instrument Set

Codes	Set consisting of:	Units
1312-04-1.8	Drill Bit with Quick Coupling End, Ø1.8mm x Length 140mm, for Distal Radius	2
1312-05-2.0	Drill Bit with Quick Coupling End, Ø2.0mm x Length 140mm, for Distal Radius	2
1312-06-2.4	Drill Bit with Quick Coupling End, Ø2.4mm x Length 140mm, for Distal Radius	2
1312-07-2.7	Drill Bit with Quick Coupling End, Ø2.7mm x Length 140mm, for Distal Radius	2
2105-01	Guide Wire with One Sided Trocar Tip, Ø1.5mm x Length 150mm	3
2105-02	Guide Wire with Threaded Tip, Ø1.5mm x Thread Length 5mm x Length 150mm	3
7-055-03	Self-Centering Double Drill Guide, Ø1.8/2.4mm, for Distal Radius	1
7-055-04	Self-Centering Double Drill Guide, Ø2.0/2.7mm, for Distal Radius	1
1312-01	Depth Gauge measuring upto 60mm for Distal Radius	1
1312-21	Torque Limiting Attachment, 0.8Nm, for Distal Radius	1
7-019-03	Handle for Torque Limiting Attachment for Distal Radius	1
1312-22	Quick Coupling Handle for Distal Radius	1
1312-17	Depth Gauge with Protector measuring upto 50mm, for Distal Radius	1
1312-29	Sharp Hook for Distal Radius	1
1312-02	T-Handle With Quick Coupling for Distal Radius	1
1312-22-6.5	Retractor, 6.5mm, for Distal Radius	1
1312-03-15	Retractor, 15mm, for Distal Radius	1
1312-23	Double Periosteal Elevator, Round, for Distal Radius	1
1312-24	Double Periosteal Elevator, Flat, for Distal Radius	1
1312-25	Reduction Forcep with Points, Small, for Distal Radius	1
1312-26	Reduction Forcep with Points, Large, for Distal Radius	1
1312-27	Reduction Forcep with Points, Serrated, for Distal Radius	1
1312-28	Bending Forcep for Distal Radius	2
2105-03	Screwdriver, Hex 2.0mm, for Distal Radius	1
2105-07	Screwdriver Shaft, Hex 2.0mm, for Distal Radius	1
1312-10-2.4	Tap, HA 2.4mm for Distal Radius	1
1312-11-2.7	Tap, HA 2.7mm for Distal Radius	1
1312-14-2.0	Threaded Drill Sleeve Ø2.0mm/2.7mm for Distal Radius	2
7-055-02	Threaded Drill Sleeve Ø1.8mm/2.4mm (Single Start Thread), for Distal Radius	2
1312-20-2.7	Screw Holding Sleeve for 2.7mm Cortical Screw - Distal Radius	1
1312-20-2.4	Screw Holding Sleeve for 2.4mm Cortical Screw - Distal Radius	1
1312-30-2.4	Screw Holding Sleeve for 2.4mm Wise-lock Screw - Distal Radius	1
7-055-01	Instrument Trays for 2.4mm Wise-Lock Distal Radius Instrument Set	2
2105-04	Implant Box with cover for 2.4mm Wise-Lock Distal Radius system	1
2105-05	Container for 2.4mm Wise-Lock Distal Radius Instrument Set	1


3.5mm

Wise-Lock Small Fragment

3.5mm

Wise-Lock Small Fragment

HUMERUS



Indications

- Intraarticular fractures of the distal humerus
- Supracondylar fractures of the distal humerus
- Non-unions of the distal humerus

Contraindications

- Acute infections
- Children in the growth phase

2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate



2.7mm Round Locking Hole




Compression and Locking Hole



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	742.103L	TI-742.103L	742.103R	TI-742.103R
5	742.105L	TI-742.105L	742.105R	TI-742.105R
7	742.107L	TI-742.107L	742.107R	TI-742.107R
9	742.109L	TI-742.109L	742.109R	TI-742.109R
14	742.114L	TI-742.114L	742.114R	TI-742.114R

2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate with Lateral Support

 2.7mm Round
Locking Hole

 Compression and
Locking Hole


Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	743.103L	TI-743.103L	743.103R	TI-743.103R
5	743.105L	TI-743.105L	743.105R	TI-743.105R
7	743.107L	TI-743.107L	743.107R	TI-743.107R
9	743.109L	TI-743.109L	743.109R	TI-743.109R
14	743.114L	TI-743.114L	743.114R	TI-743.114R

2.7/3.5mm Wise-Lock Dorsolateral Medial Distal Humerus Plate



2.7mm Round Locking Hole



Compression and Locking Hole




Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	744.103L	TI-744.103L	744.103R	TI-744.103R
5	744.105L	TI-744.105L	744.105R	TI-744.105R
7	744.107L	TI-744.107L	744.107R	TI-744.107R
9	744.109L	TI-744.109L	744.109R	TI-744.109R
14	744.114L	TI-744.114L	744.114R	TI-744.114R




Indications

- Extra-articular fractures of the distal humerus
- Malunions of the distal humerus
- Non-unions of the distal humerus

3.5mm Wise-Lock Extra-Articular Distal Humerus Plate



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4	583.004L	TI-583.004L	583.004R	TI-583.004R
6	583.006L	TI-583.006L	583.006R	TI-583.006R
8	583.008L	TI-583.008L	583.008R	TI-583.008R
10	583.010L	TI-583.010L	583.010R	TI-583.010R
12	583.012L	TI-583.012L	583.012R	TI-583.012R
14	583.014L	TI-583.014L	583.014R	TI-583.014R




Indications

The LCP Metaphyseal Plate is an anatomically precontoured plate that permits an optimal treatment of juxta-articular distal humerus fractures. It takes into account the following peculiarities of the distal humerus:

- thin soft-tissue envelope
- complex shape of the bone.

3.5mm Wise-Lock Metaphyseal Plate For Distal Medial Humerus



Holes	Stainless Steel	Titanium
7	738.107	TI-738.107
9	738.109	TI-738.109
11	738.111	TI-738.111
13	738.113	TI-738.113
15	738.115	TI-738.115


**Indications**

- Dislocated two three and four fragment fractures of the proximal humerus, including fractures involving osteopenic bone
- Pseudarthroses in the proximal humerus
- Osteotomies in the proximal humerus


Contraindications

- Acute infections
- Children during the growth phase

PHEELOS - 3.5mm Wise-Lock Proximal Humerus Plate, Short




Round Locking Hole



Compression and Locking Hole



Holes	Stainless Steel	Titanium
3	745.503	TI-745.503
4	745.504	TI-745.504
5	745.505	TI-745.505

PHEELOS - 3.5mm Wise-Lock Proximal Humerus Plate, Long

 Round
Locking Hole

 Compression and
Locking Hole


Holes	Stainless Steel	Titanium
5	745.605	TI-745.605
6	745.606	TI-745.606
8	745.608	TI-745.608
10	745.610	TI-745.610
12	745.612	TI-745.612

3300-01 Pheelos Aiming Device with Nut



3300-02 Centering Sleeve, for Pheelos Aiming Device



3300-03 Drill Sleeve, for Pheelos Aiming Device



3300-04 Centering Sleeve for Kirschner Wire Ø 1.6mm



3300-05 Pheelos Direct Measuring Device




451-1.6-150 Kirschner Wire with Trocar Tip Both End Ø1.6mm x Length 150mm



2301-000 PHEELOS Instrument Set


Codes	Set consisting of:	Units
3300-01	Pheelos Aiming Device with Nut	1
3300-02	Centering Sleeve, for Pheelos Aiming Device	1
3300-03	Drill Sleeve, for Pheelos Aiming Device	1
3300-04	Centering Sleeve for Kirschner Wire Ø 1.6mm	1
3300-05	Pheelos Direct Measuring Device	1
451-1.6-150	Kirschner Wire with Trocar Tip Both End Ø1.6mm x Length 150mm	5




Indications

3.5mm Periarticular Proximal Humerus Plates are indicated for fractures, fractures dislocation, osteotomies, and non-unions of proximal humerus, particularly in osteopenic bone.


3.5mm Wise-Lock Periarticular Proximal Humerus Plate




Round Locking Hole



Compression and Locking Hole





Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
2	528.002L	TI-528.002L	528.002R	TI-528.002R
3	528.003L	TI-528.003L	528.003R	TI-528.003R
4	528.004L	TI-528.004L	528.004R	TI-528.004R
5	528.005L	TI-528.005L	528.005R	TI-528.005R
6	528.006L	TI-528.006L	528.006R	TI-528.006R
8	528.008L	TI-528.008L	528.008R	TI-528.008R
10	528.010L	TI-528.010L	528.010R	TI-528.010R
12	528.012L	TI-528.012L	528.012R	TI-528.012R
14	528.014L	TI-528.014L	528.014R	TI-528.014R



Indications

- Multifragmentary (dislocated) fractures requiring open reduction
- Unstable subcapital fractures
- Subcapital pseudarthrosis
- Osteotomies

3.5mm Wise-Lock Proximal Humerus Plate




Holes	Stainless Steel	Titanium
5	745.105	TI-745.105
6	745.106	TI-745.106
7	745.107	TI-745.107
8	745.108	TI-745.108

3.5mm

Wise-Lock Small Fragment


ULNA




Indications

- Simple fractures of the olecranon
(AO Types 21–B1, 21–B3, 21–C1)
- Osteotomies of the olecranon for distal humerus fracture treatment
- Avulsion fractures of the distal tibia and fibula

3.5mm Wise-Lock Hook Plate



Holes	Stainless Steel	Titanium
3	729.203	TI-729.203
4	729.204	TI-729.204
5	729.205	TI-729.205


**Indications**

- Complex extra and intra-articular olecranon fractures
- Pseudoarthroses of the proximal ulna
- Osteotomies
- Simple olecranon fractures

Contraindications

- Acute infections
- Children in growth phase

3.5mm Wise-Lock Olecranon Plate



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
2	758.102L	TI-758.102L	758.102R	TI-758.102R
4	758.104L	TI-758.104L	758.104R	TI-758.104R
6	758.106L	TI-758.106L	758.106R	TI-758.106R
8	758.108L	TI-758.108L	758.108R	TI-758.108R
10	758.110L	TI-758.110L	758.110R	TI-758.110R
12	758.112L	TI-758.112L	758.112R	TI-758.112R

3.5mm

Wise-Lock Small Fragment


TIBIA




Indications

Wise-Lock Medial Distal Tibia Plate are intended for fixation of complex intra- and extra articular fractures and osteotomies of the distal tibia.


3.5mm Wise-Lock Medial Distal Tibia Plate



Round Locking Hole



Compression and Locking Hole




Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4	746.104L	TI-746.104L	746.104R	TI-746.104R
6	746.106L	TI-746.106L	746.106R	TI-746.106R
8	746.108L	TI-746.108L	746.108R	TI-746.108R
10	746.110L	TI-746.110L	746.110R	TI-746.110R
12	746.112L	TI-746.112L	746.112R	TI-746.112R
14	746.114L	TI-746.114L	746.114R	TI-746.114R





Indications

Wise-Lock 3.5mm Proximal Tibia Plate is indicated for fractures of the proximal tibia, including: simple, comminuted, lateral wedge, depression, medial wedge, bicondylar combination of lateral wedge and depression, periprosthetic, and fractures with associated shaft fractures. The plates can also be used for the treatments of nonunions, malunions, and osteopenic bone.


3.5mm Wise-Lock Proximal Tibia Plate




Round Locking Hole



Compression and Locking Hole




Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4	747.104L	TI-747.104L	747.104R	TI-747.104R
6	747.106L	TI-747.106L	747.106R	TI-747.106R
8	747.108L	TI-747.108L	747.108R	TI-747.108R
10	747.110L	TI-747.110L	747.110R	TI-747.110R
12	747.112L	TI-747.112L	747.112R	TI-747.112R
14	747.114L	TI-747.114L	747.114R	TI-747.114R
16	747.116L	TI-747.116L	747.116R	TI-747.116R




Indications

The Wise-Lock Medial Proximal Tibia Plates 3.5 are intended to buttress metaphyseal fractures of the medial tibia plateau, split-type fractures of the medial tibial plateau, medial split fractures with associated depressions and split or depression fractures of the medial tibia plateau. The plates may also be used for fixation of the proximal quarter (lateral and medial) of the tibia, as well as segmental fractures of the proximal tibia.

3.5mm Wise-Lock Medial Proximal Tibia Plate



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4	530.004L	TI-530.004L	530.004R	TI-530.004R
6	530.006L	TI-530.006L	530.006R	TI-530.006R
8	530.008L	TI-530.008L	530.008R	TI-530.008R
10	530.010L	TI-530.010L	530.010R	TI-530.010R
12	530.012L	TI-530.012L	530.012R	TI-530.012R
14	530.014L	TI-530.014L	530.014R	TI-530.014R
16	530.016L	TI-530.016L	530.016R	TI-530.016R
18	530.018L	TI-530.018L	530.018R	TI-530.018R
20	530.020L	TI-530.020L	530.020R	TI-530.020R


**Indications**

The Wise-Lock Posterior Medial Proximal Tibia Plate 3.5 is indicated for internal fixation of posteromedial proximal tibia fractures including buttressing of fractures of the proximal, distal and metaphyseal areas of the tibia.

3.5mm Wise-Lock Posterior Medial Proximal Tibia Plate



Holes	Stainless Steel	Titanium
1	531.001	TI-531.001
2	531.002	TI-531.002
4	531.004	TI-531.004
6	531.006	TI-531.006
8	531.008	TI-531.008
10	531.010	TI-531.010




Indications

Wise-Lock Anterolateral Distal Tibia Plate 3.5 is indicated for:

- Extra-articular and simple intra-articular distal tibia fractures
- Distal tibia fracture, percutaneous or reducible by limited arthrotomy
- Distal tibia fracture extending into the diaphyseal area

3.5mm Wise-Lock Anterolateral Distal Tibia Plate



Round Locking Hole



Compression and Locking Hole



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
5	WS1.05	TI-WS1.05	WS2.05	TI-WS2.05
7	WS1.07	TI-WS1.07	WS2.07	TI-WS2.07
9	WS1.09	TI-WS1.09	WS2.09	TI-WS2.09
11	WS1.11	TI-WS1.11	WS2.11	TI-WS2.11
13	WS1.13	TI-WS1.13	WS2.13	TI-WS2.13
15	WS1.15	TI-WS1.15	WS2.15	TI-WS2.15
17	WS1.17	TI-WS1.17	WS2.17	TI-WS2.17
19	WS1.19	TI-WS1.19	WS2.19	TI-WS2.19
21	WS1.21	TI-WS1.21	WS2.21	TI-WS2.21




Indications

Wise-Lock Medial Distal Tibia Plates without Tab are intended for:


- Fixation of complex intra and extra-articular fractures of the distal tibia
- Osteotomies of the distal tibia

3.5mm Wise-Lock Medial Distal Tibia Plate, Without Tab




Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4	WS3.04	TI-WS3.04	WS4.04	TI-WS4.04
6	WS3.06	TI-WS3.06	WS4.06	TI-WS4.06
8	WS3.08	TI-WS3.08	WS4.08	TI-WS4.08
10	WS3.10	TI-WS3.10	WS4.10	TI-WS4.10
12	WS3.12	TI-WS3.12	WS4.12	TI-WS4.12
14	WS3.14	TI-WS3.14	WS4.14	TI-WS4.14

3.5mm Wise-Lock Low Profile Medial Distal Tibia Plate, Without Tab



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4	10-002-04LSS	10-002-04LTI	10-002-04RSS	10-002-04RTI
6	10-002-06LSS	10-002-06LTI	10-002-06RSS	10-002-06RTI
8	10-002-08LSS	10-002-08LTI	10-002-08RSS	10-002-08RTI
10	10-002-10LSS	10-002-10LTI	10-002-10RSS	10-002-10RTI
12	10-002-12LSS	10-002-12LTI	10-002-12RSS	10-002-12RTI
14	10-002-14LSS	10-002-14LTI	10-002-14RSS	10-002-14RTI




Indications

Wise-Lock Metaphyseal Plate for distal medial tibia is a preshaped plate that allows optimal treatment of juxta-articular fractures of the distal tibia extending into the shaft area.

This plate takes the following characteristics of the distal tibia into account:

- Thin, soft tissue coverage
- Complex anatomic shape of the bone

3.5mm Wise-Lock Metaphyseal Plate for Medial Distal Tibia


Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4 + 4	741.104L	TI-741.104L	741.104R	TI-741.104R
4 + 5	741.105L	TI-741.105L	741.105R	TI-741.105R
4 + 6	741.106L	TI-741.106L	741.106R	TI-741.106R
4 + 7	741.107L	TI-741.107L	741.107R	TI-741.107R
4 + 8	741.108L	TI-741.108L	741.108R	TI-741.108R
4 + 9	741.109L	TI-741.109L	741.109R	TI-741.109R
4 + 10	741.110L	TI-741.110L	741.110R	TI-741.110R
4 + 12	741.112L	TI-741.112L	741.112R	TI-741.112R
4 + 14	741.114L	TI-741.114L	741.114R	TI-741.114R
4 + 16	741.116L	TI-741.116L	741.116R	TI-741.116R
4 + 18	741.118L	TI-741.118L	741.118R	TI-741.118R
4 + 20	741.120L	TI-741.120L	741.120R	TI-741.120R



Indications


Pilon Cruciform

- Intra-articular fracture of the axially loaded distal tibia joint area
- Complex fractures requiring open reconstruction.

Pilon


- Distal articular fractures of the tibia (pilon fractures) with emphasis on complex articular reconstruction

3.5mm Wise-Lock Pilon Plate




Holes	Stainless Steel	Titanium
7	799.207	TI-799.207
9	799.209	TI-799.209

3.5mm Wise-Lock Pilon Plate, Cruciform




Holes	Stainless Steel	Titanium
7	799.007	TI-799.007
9	799.009	TI-799.009

3.5mm Wise-Lock Z-type Proximal lateral Tibial Plate


Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
6	10-060-006LSS	10-060-006LTI	10-060-006RSS	10-060-006RTI
8	10-060-008LSS	10-060-008LTI	10-060-008RSS	10-060-008RTI
10	10-060-010LSS	10-060-010LTI	10-060-010RSS	10-060-010RTI
12	10-060-012LSS	10-060-012LTI	10-060-012RSS	10-060-012RTI
14	10-060-014LSS	10-060-014LTI	10-060-014RSS	10-060-014RTI
16	10-060-016LSS	10-060-016LTI	10-060-016RSS	10-060-016RTI

3.5mm Wise-Lock Z-type Distal Medial Tibial Plate


Round
Locking Hole




Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
6	10-059-006LSS	10-059-006LTI	10-059-006RSS	10-059-006RTI
8	10-059-008LSS	10-059-008LTI	10-059-008RSS	10-059-008RTI
10	10-059-010LSS	10-059-010LTI	10-059-010RSS	10-059-010RTI
14	10-059-014LSS	10-059-014LTI	10-059-014RSS	10-059-014RTI
18	10-059-018LSS	10-059-018LTI	10-059-018RSS	10-059-018RTI


3.5mm

Wise-Lock Small Fragment

FIBULA

**Indications**

The Wise-Lock Distal Fibula Plates are intended for fixation of fractures, osteotomies and non-unions of the metaphyseal and diaphyseal region of the distal fibula, especially in osteopenic bone.


3.5mm Wise-Lock Lateral Distal Fibula Plate


Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	584.003L	TI-584.003L	584.003R	TI-584.003R
4	584.004L	TI-584.004L	584.004R	TI-584.004R
5	584.005L	TI-584.005L	584.005R	TI-584.005R
6	584.006L	TI-584.006L	584.006R	TI-584.006R
7	584.007L	TI-584.007L	584.007R	TI-584.007R
9	584.009L	TI-584.009L	584.009R	TI-584.009R
11	584.011L	TI-584.011L	584.011R	TI-584.011R

3.5mm

Wise-Lock Small Fragment

FOOT



Indications

X-plate

- Arthrodesis
 - MTP
 - MTC
 - Talonavicular
 - Calcaneo-Cuboid

Proximal osteotomies

- Crescentic
- Ludloff
- Mau
- Open wedge
- Closing wedge


Calcaneal osteotomies

- Fractures
 - Single
 - Multifragment

2 Hole Plate

- Akin osteotomy

2.7mm Wise-Lock X-Plate



Stainless Steel	Titanium	
812.300S	TI-812.300S	Small
812.300M	TI-812.300M	Medium
812.300L	TI-812.300L	Large

2.7mm Wise-Lock Straight Plate with Single Start Thread




Holes	Stainless Steel	Titanium
2	10-061-02SS	10-061-02TI

3.5mm

Wise-Lock Small Fragment

PELVIS

**Indications**

Comprehensive solution for Pelvic fracture Region.

The Low Profile 3.5 mm Pelvic System is intended for pelvic and acetabular reconstructive surgery. The reconstruction plates are also used for fracture fixation of the distal humerus, clavicle and scapula.

3.5mm Wise-Lock Symphyseal Plate with Coaxial-Combi Holes



Round Locking Hole



Holes	Stainless Steel	Titanium
4	1126.04	TI-1126.04
6	1126.06	TI-1126.06


3.5mm Wise-Lock Low Profile Reconstruction Plate with Coaxial-Combi Holes

Holes	Stainless Steel	Titanium
3	1125.03	TI-1125.03
4	1125.04	TI-1125.04
5	1125.05	TI-1125.05
6	1125.06	TI-1125.06
7	1125.07	TI-1125.07
8	1125.08	TI-1125.08
9	1125.09	TI-1125.09
10	1125.10	TI-1125.10
11	1125.11	TI-1125.11
12	1125.12	TI-1125.12
13	1125.13	TI-1125.13
14	1125.14	TI-1125.14
15	1125.15	TI-1125.15
16	1125.16	TI-1125.16
18	1125.18	TI-1125.18
20	1125.20	TI-1125.20





3.5mm Wise-Lock Low Profile Reconstruction Plate with Coaxial-Combi Holes, Curved




Round Locking Hole



Holes	Stainless Steel	Titanium
6	1125.06C	TI-1125.06C
8	1125.08C	TI-1125.08C
10	1125.10C	TI-1125.10C
12	1125.12C	TI-1125.12C
14	1125.14C	TI-1125.14C
16	1125.16C	TI-1125.16C

3.5mm Wise-Lock "J" Reconstruction Plate with Coaxial-Combi Holes




Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
10	1125.10JL	TI-1125.10JL	1125.10JR	TI-1125.10JR
12	1125.12JL	TI-1125.12JL	1125.12JR	TI-1125.12JR
14	1125.14JL	TI-1125.14JL	1125.14JR	TI-1125.14JR
16	1125.16JL	TI-1125.16JL	1125.16JR	TI-1125.16JR

3.5mm

Wise-Lock Small Fragment

CLAVICLE




Indications

Lateral clavicle fractures: Neer type II or Jäger and Breitner type II.

Acromioclavicular joint dislocation type: Tossy III or Rockwood III to V.

3.5mm Wise-Lock Clavicle Hook Plate


3 different hook depths
12, 15 and 18 mm



Compression and
Locking Hole




Holes	Hook Depth	Left Direction		Right Direction	
		Stainless Steel	Titanium	Stainless Steel	Titanium
4	12mm	752.4.12L	TI-752.4.12L	752.4.12R	TI-752.4.12R
4	15mm	752.4.15L	TI-752.4.15L	752.4.15R	TI-752.4.15R
4	18mm	752.4.18L	TI-752.4.18L	752.4.18R	TI-752.4.18R
5	12mm	752.5.12L	TI-752.5.12L	752.5.12R	TI-752.5.12R
5	15mm	752.5.15L	TI-752.5.15L	752.5.15R	TI-752.5.15R
5	18mm	752.5.18L	TI-752.5.18L	752.5.18R	TI-752.5.18R
6	12mm	752.6.12L	TI-752.6.12L	752.6.12R	TI-752.6.12R
6	15mm	752.6.15L	TI-752.6.15L	752.6.15R	TI-752.6.15R
6	18mm	752.6.18L	TI-752.6.18L	752.6.18R	TI-752.6.18R
7	12mm	752.7.12L	TI-752.7.12L	752.7.12R	TI-752.7.12R
7	15mm	752.7.15L	TI-752.7.15L	752.7.15R	TI-752.7.15R
7	18mm	752.7.18L	TI-752.7.18L	752.7.18R	TI-752.7.18R



Indications


- Fractures of the clavicle shaft
- Fractures of the lateral clavicle
- Malunions of the clavicle
- Non-unions of the clavicle

3.5mm Wise-Lock Superior Anterior Clavicle Plate


Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
5	526.005L	TI-526.005L	526.005R	TI-526.005R
6	526.006L	TI-526.006L	526.006R	TI-526.006R
7	526.007L	TI-526.007L	526.007R	TI-526.007R
8	526.008L	TI-526.008L	526.008R	TI-526.008R


2.7/3.5mm Wise-Lock Superior Anterior Clavicle Plate with Lateral Extension


Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	527.003L	TI-527.003L	527.003R	TI-527.003R
4	527.004L	TI-527.004L	527.004R	TI-527.004R
5	527.005L	TI-527.005L	527.005R	TI-527.005R
6	527.006L	TI-527.006L	527.006R	TI-527.006R
7	527.007L	TI-527.007L	527.007R	TI-527.007R
8	527.008L	TI-527.008L	527.008R	TI-527.008R

**Characteristics:**

Clavicle Locking Plate was developed for internal fixation in the fractures treatments and non-unions of the clavicle.

The plate offers a variety of length and curvatures to better accommodate in the anatomy of the clavicle; it is not necessary to shape, which increases efficiency and product safety. The holes in the plate can use both cortical compression screws and Locking screws, promoting angular stability able to resist the angular efforts of the clavicle.


3.5mm Wise-Lock S Clavicle Plates


Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	762.103L	TI-762.103L	762.103R	TI-762.103R
4	762.104L	TI-762.104L	762.104R	TI-762.104R
4 Medium	762.104ML	TI-762.104ML	762.104MR	TI-762.104MR
6 Small	762.106SL	TI-762.106SL	762.106SR	TI-762.106SR
6 Medium	762.106ML	TI-762.106ML	762.106MR	TI-762.106MR
6 Large	762.106LL	TI-762.106LL	762.106LR	TI-762.106LR
8 Medium	762.108ML	TI-762.108ML	762.108MR	TI-762.108MR

3.5mm

Wise-Lock Small Fragment

WRIST




Indications

The Wise-Lock Wrist Fusion System is indicated for wrist arthrodesis and fractures of other small bones of the carpus. Specific indications include:

- Posttraumatic arthrosis of the joints of the wrist
- Rheumatoid wrist deformities requiring restoration
- Complex carpal instability
- Postseptic arthritis of the wrist
- Severe unremitting wrist pain related to motion
- Brachial plexus nerve palsies
- Tumor resection
- Spastic deformities

3.5mm Wise-Lock Wrist Fusion Plate



Compression and Locking Hole

Shape	Holes	Stainless Steel	Titanium
Standard Bend	8	586.000	TI-586.000
Short Bend	8	587.000	TI-587.000
Straight Bend	9	588.000	TI-588.000

3.5mm


Wise-Lock Small Fragment

CALCANEAL


**Indications**

The locking calcaneal plates address complex fractures of the calcaneus. The locking calcaneal plate is indicated for fractures and osteotomies of the calcaneus including, but not limited to, extra-articular, intra-articular, joint depression, tongue type, and severely comminuted fractures.

3.5mm Wise-Lock Calcaneal Plate




Round
Locking Hole



Directions	Stainless Steel	Titanium
Left	797.069L	TI-797.069L
Left	797.076L	TI-797.076L
Right	797.069R	TI-797.069R
Right	797.076R	TI-797.076R


3.5mm Wise-Lock Calcaneal Plate Type-I


Round
Locking Hole



Directions	Holes	Stainless Steel	Titanium
Left	3	10-007-03LSS	10-007-03LTI
Right	3	10-007-03RSS	10-007-03RTI


3.5mm Wise-Lock Calcaneal Plate Type-II



Directions	Holes	Small		Medium	
		Stainless Steel	Titanium	Stainless Steel	Titanium
Left	3	10-008-03LSS	10-008-03LTI	10-009-03LSS	10-009-03LTI
Right	3	10-008-03RSS	10-008-03RTI	10-009-03RSS	10-009-03RTI


3.5mm Wise-Lock Calcaneal Plate Type-III


Round
Locking Hole




Directions	Holes	Stainless Steel	Titanium
Left	6	10-010-06LSS	10-010-06LTI
Right	6	10-010-06RSS	10-010-06RTI
Left	7	10-010-07LSS	10-010-07LTI
Right	7	10-010-07RSS	10-010-07RTI

3.5mm Wise-Lock Calcaneal Plate Type-IV






Round Locking Hole



Directions	Holes	Small		Medium		Large	
		Stainless Steel	Titanium	Stainless Steel	Titanium	Stainless Steel	Titanium
Left	8	10-011-08LSS	10-011-08LTI	10-012-08LSS	10-012-08LTI	10-013-08LSS	10-013-08LTI
Right	8	10-011-08RSS	10-011-08RTI	10-012-08RSS	10-012-08RTI	10-013-08RSS	10-013-08RTI

3.5mm Wise-Lock Calcaneal Plate Type-V


Round Locking Hole




Directions	Holes	Small		Large	
		Stainless Steel	Titanium	Stainless Steel	Titanium
Left	12	10-014-12LSS	10-014-12LTI	10-015-12LSS	10-015-12LTI
Right	12	10-014-12RSS	10-014-12RTI	10-015-12RSS	10-015-12RTI

3.5mm

Wise-Lock Small Fragment


GENERAL



Indications

Juxta-articular fractures extending into the shaft area.


3.5/4.5mm Wise-Lock Metaphyseal Plate




5.0mm Compression
and Locking Hole



3.5mm Compression
and Locking Hole




Holes	Stainless Steel	Titanium
3/5	740.103	TI-740.103
4/5	740.104	TI-740.104
5/5	740.105	TI-740.105
6/5	740.106	TI-740.106
7/5	740.107	TI-740.107
8/5	740.108	TI-740.108
9/5	740.109	TI-740.109
11/5	740.111	TI-740.111
13/5	740.113	TI-740.113
15/5	740.115	TI-740.115




Indications

Juxta-articular fractures extending into the shaft area.

3.5mm Wise-Lock Metaphyseal Plate



Compression and Locking Hole



Holes	Stainless Steel	Titanium
6	739.106	TI-739.106
7	739.107	TI-739.107
8	739.108	TI-739.108
9	739.109	TI-739.109
10	739.110	TI-739.110
11	739.111	TI-739.111
12	739.112	TI-739.112
14	739.114	TI-739.114
16	739.116	TI-739.116
18	739.118	TI-739.118

**Indications**

- Intraarticular fractures of the distal humerus
- Supracondylar fractures of the distal humerus
- Non-unions of the distal humerus


Contraindications

- Acute infections
- Children in the growth phase


3.5mm Wise-Lock Small Dynamic Compression Plate with LC under cuts




Compression and Locking Hole





Holes	Stainless Steel	Titanium
5	721.205	TI-721.205
6	721.206	TI-721.206
7	721.207	TI-721.207
8	721.208	TI-721.208
9	721.209	TI-721.209
10	721.210	TI-721.210
11	721.211	TI-721.211
12	721.212	TI-721.212



3.5mm Wise-Lock One Third Tubular Plate




Round Locking Hole



Holes	Stainless Steel	Titanium
4	702.304	TI-702.304
5	702.305	TI-702.305
6	702.306	TI-702.306
7	702.307	TI-702.307
8	702.308	TI-702.308
9	702.309	TI-702.309
10	702.310	TI-702.310
11	702.311	TI-702.311
12	702.312	TI-702.312


3.5mm Wise-Lock Small "T" Plate, Oblique Angled




Round Locking Hole



Compression and Locking Hole



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	712.103L	TI-712.103L	712.103R	TI-712.103R
4	712.104L	TI-712.104L	712.104R	TI-712.104R
5	712.105L	TI-712.105L	712.105R	TI-712.105R
6	712.106L	TI-712.106L	712.106R	TI-712.106R

3.5mm Wise-Lock Small "T" Plate, Right Angled (3 Head Holes)


Round Locking Hole



Compression and Locking Hole



Holes	Stainless Steel	Titanium
3	709.103	TI-709.103
4	709.104	TI-709.104
5	709.105	TI-709.105
6	709.106	TI-709.106

3.5mm Wise-Lock Small "T" Plate, Right Angled, (4 Head Holes)




Round Locking Hole



Compression and Locking Hole



Holes	Stainless Steel	Titanium
3	710.203	TI-710.203
4	710.204	TI-710.204
5	710.205	TI-710.205
6	710.206	TI-710.206

3.5mm Wise-Lock Reconstruction Plate


Compression and
Locking Hole




Holes	Stainless Steel	Titanium
5	727.205	TI-727.205
6	727.206	TI-727.206
7	727.207	TI-727.207
8	727.208	TI-727.208
9	727.209	TI-727.209
10	727.210	TI-727.210
11	727.211	TI-727.211
12	727.212	TI-727.212
14	727.214	TI-727.214
16	727.216	TI-727.216
18	727.218	TI-727.218
20	727.220	TI-727.220
22	727.222	TI-727.222


3.5mm Wise-Lock Reconstruction Plate, Curved



Compression and Locking Hole



Holes	Stainless Steel	Titanium
4	727.204C	TI-727.204C
5	727.205C	TI-727.205C
6	727.206C	TI-727.206C
7	727.207C	TI-727.207C
8	727.208C	TI-727.208C
9	727.209C	TI-727.209C
10	727.210C	TI-727.210C
11	727.211C	TI-727.211C
12	727.212C	TI-727.212C
13	727.213C	TI-727.213C
14	727.214C	TI-727.214C
15	727.215C	TI-727.215C
16	727.216C	TI-727.216C

3.5mm Wise-Lock Cloverleaf Plate


Holes	Stainless Steel	Titanium
3	715.203	TI-715.203
4	715.204	TI-715.204
5	715.205	TI-715.205
6	715.206	TI-715.206

3.5mm

Wise-Lock Small Fragment

SCAPULA

Scapular fractures are rare, but present significant challenges for fixation. The anatomically precontoured Auxein Scapula Plates eliminate the time-intensive process of hand-contouring generic bone plates which can also reduce the strength of the plate. Additionally, fragment reduction and reconstruction is laborious without an anatomical guide and screw placement is difficult in the questionable osseous regions of the scapular bone.

Indications

- Scapular Body Fractures
- Glenoid Neck Fractures
- Intra-articular Glenoid Fractures
- Scapula Spine Fractures
- Acromion Fractures
- Os Acromiale



3.5mm Wise-Lock Scapula Glenoid Plate

Holes	Left	Right
4	10-045-04LTI	10-045-04RTI


3.5mm Wise-Lock Scapula Acromion Plate

Holes	Left	Right
6	10-046-06LTI	10-046-06RTI
7	10-046-07LTI	10-046-07RTI


3.5mm Wise-Lock Scapula Lateral Border Plate

Holes	Left	Right
10	10-047-10LTI	10-047-10RTI


3.5mm Wise-Lock Scapula Medial Border Plate

Holes	Left	Right
9	10-058-09LTI	10-058-09RTI
13	10-058-13LTI	10-058-13RTI



2.7mm Wise-Lock Screw, Self-Tapping (Hex Head)


Length (mm)	Stainless Steel	Titanium
10	118.010	TI-118.010
12	118.012	TI-118.012
14	118.014	TI-118.014
16	118.016	TI-118.016
18	118.018	TI-118.018
20	118.020	TI-118.020
22	118.022	TI-118.022
24	118.024	TI-118.024
26	118.026	TI-118.026
28	118.028	TI-118.028
30	118.030	TI-118.030
32	118.032	TI-118.032
34	118.034	TI-118.034
36	118.036	TI-118.036
38	118.038	TI-118.038
40	118.040	TI-118.040
42	118.042	TI-118.042
44	118.044	TI-118.044
46	118.046	TI-118.046
48	118.048	TI-118.048
50	118.050	TI-118.050
52	118.052	TI-118.052
54	118.054	TI-118.054
56	118.056	TI-118.056
58	118.058	TI-118.058
60	118.060	TI-118.060

2.7mm Cortical Screw, Self-Tapping, (Hex Head)


Length (mm)	Titanium
6	TI-103.206
8	TI-103.208
10	TI-103.210
12	TI-103.212
14	TI-103.214
16	TI-103.216
18	TI-103.218
20	TI-103.220
22	TI-103.222
24	TI-103.224
26	TI-103.226
28	TI-103.228
30	TI-103.230

3.5mm Wise-Lock Screw, Self-Tapping (Hex Head)

Length (mm)	Stainless Steel	Titanium
10	117.010	TI-117.010
12	117.012	TI-117.012
14	117.014	TI-117.014
16	117.016	TI-117.016
18	117.018	TI-117.018
20	117.020	TI-117.020
22	117.022	TI-117.022
24	117.024	TI-117.024
26	117.026	TI-117.026
28	117.028	TI-117.028
30	117.030	TI-117.030
* 32	117.032	TI-117.032
* 34	117.034	TI-117.034
35	117.035	TI-117.035
* 36	117.036	TI-117.036
* 38	117.038	TI-117.038
40	117.040	TI-117.040
* 42	117.042	TI-117.042
* 44	117.044	TI-117.044
45	117.045	TI-117.045
* 46	117.046	TI-117.046
* 48	117.048	TI-117.048
50	117.050	TI-117.050
* 52	117.052	TI-117.052
* 54	117.054	TI-117.054
55	117.055	TI-117.055
* 56	117.056	TI-117.056
* 58	117.058	TI-117.058
60	117.060	TI-117.060
65	117.065	TI-117.065
70	117.070	TI-117.070
75	117.075	TI-117.075
80	117.080	TI-117.080



* Sizes not available in Screw Caddy

3.5mm Wise-Lock Screw, Self-Drilling (Hex Head)


Length (mm)	Stainless Steel	Titanium
10	117.210	TI-117.210
12	117.212	TI-117.212
14	117.214	TI-117.214
16	117.216	TI-117.216
18	117.218	TI-117.218
20	117.220	TI-117.220
22	117.222	TI-117.222
24	117.224	TI-117.224
26	117.226	TI-117.226
28	117.228	TI-117.228
30	117.230	TI-117.230
* 32	117.232	TI-117.232
* 34	117.234	TI-117.234
* 36	117.236	TI-117.236
* 38	117.238	TI-117.238
40	117.240	TI-117.240
* 42	117.242	TI-117.242
* 44	117.244	TI-117.244
* 46	117.246	TI-117.246
* 48	117.248	TI-117.248
50	117.250	TI-117.250
* 52	117.252	TI-117.252
* 54	117.254	TI-117.254
* 56	117.256	TI-117.256
* 58	117.258	TI-117.258
60	117.260	TI-117.260

* Sizes not available in Screw Caddy



3.5mm Wise-Lock Cancellous Screw, Full Thread, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
10mm	188.210	TI-188.210
12mm	188.212	TI-188.212
14mm	188.214	TI-188.214
16mm	188.216	TI-188.216
18mm	188.218	TI-188.218
20mm	188.220	TI-188.220
22mm	188.222	TI-188.222
24mm	188.224	TI-188.224
26mm	188.226	TI-188.226
28mm	188.228	TI-188.228
30mm	188.230	TI-188.230
32mm	188.232	TI-188.232
34mm	188.234	TI-188.234
36mm	188.236	TI-188.236
38mm	188.238	TI-188.238
40mm	188.240	TI-188.240
42mm	188.242	TI-188.242
44mm	188.244	TI-188.244
46mm	188.246	TI-188.246
48mm	188.248	TI-188.248
50mm	188.250	TI-188.250
55mm	188.255	TI-188.255
60mm	188.260	TI-188.260



3.5mm Wise-Lock Cancellous Screw, Short Thread, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
10mm	1257.10	TI-1257.10
12mm	1257.12	TI-1257.12
14mm	1257.14	TI-1257.14
16mm	1257.16	TI-1257.16
18mm	1257.18	TI-1257.18
20mm	1257.20	TI-1257.20
22mm	1257.22	TI-1257.22
24mm	1257.24	TI-1257.24
26mm	1257.26	TI-1257.26
28mm	1257.28	TI-1257.28
30mm	1257.30	TI-1257.30
32mm	1257.32	TI-1257.32
34mm	1257.34	TI-1257.34
36mm	1257.36	TI-1257.36
38mm	1257.38	TI-1257.38
40mm	1257.40	TI-1257.40
42mm	1257.42	TI-1257.42
44mm	1257.44	TI-1257.44
46mm	1257.46	TI-1257.46
48mm	1257.48	TI-1257.48
50mm	1257.50	TI-1257.50
55mm	1257.55	TI-1257.55
60mm	1257.60	TI-1257.60



3.5mm Cortical Screw, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
10	104.210	TI-104.210
12	104.212	TI-104.212
14	104.214	TI-104.214
16	104.216	TI-104.216
18	104.218	TI-104.218
20	104.220	TI-104.220
22	104.222	TI-104.222
24	104.224	TI-104.224
26	104.226	TI-104.226
28	104.228	TI-104.228
30	104.230	TI-104.230
32	104.232	TI-104.232
34	104.234	TI-104.234
36	104.236	TI-104.236
38	104.238	TI-104.238
40	104.240	TI-104.240
42	104.242	TI-104.242
44	104.244	TI-104.244
46	104.246	TI-104.246
48	104.248	TI-104.248
50	104.250	TI-104.250
* 55	104.255	TI-104.255
* 60	104.260	TI-104.260
* 65	104.265	TI-104.265
* 70	104.270	TI-104.270
* 75	104.275	TI-104.275
* 80	104.280	TI-104.280
* 85	104.285	TI-104.285
* 90	104.290	TI-104.290

* Sizes not available in Screw Caddy




4.0mm Cancellous Screw, Short Thread

Length (mm)	Stainless Steel	Titanium
12	109.012	TI-109.012
14	109.014	TI-109.014
16	109.016	TI-109.016
18	109.018	TI-109.018
20	109.020	TI-109.020
22	109.022	TI-109.022
24	109.024	TI-109.024
26	109.026	TI-109.026
28	109.028	TI-109.028
30	109.030	TI-109.030
32	109.032	TI-109.032
34	109.034	TI-109.034
36	109.036	TI-109.036
38	109.038	TI-109.038
40	109.040	TI-109.040
45	109.045	TI-109.045
50	109.050	TI-109.050
55	109.055	TI-109.055
60	109.060	TI-109.060



4.0mm Cancellous Screw, Full Thread

Length (mm)	Stainless Steel	Titanium
12	110.012	TI-110.012
14	110.014	TI-110.014
16	110.016	TI-110.016
18	110.018	TI-110.018
20	110.020	TI-110.020
22	110.022	TI-110.022
24	110.024	TI-110.024
26	110.026	TI-110.026
28	110.028	TI-110.028
30	110.030	TI-110.030
32	110.032	TI-110.032
34	110.034	TI-110.034
36	110.036	TI-110.036
38	110.038	TI-110.038
40	110.040	TI-110.040
45	110.045	TI-110.045
50	110.050	TI-110.050
55	110.055	TI-110.055
60	110.060	TI-110.060



ST-007NW Screw Caddy For 3.5mm Wise-Lock Small Fragment System



**2.7mm Wise-Lock Screw,
Self-Tapping (Hex Head)**

Length (mm)	Stainless Steel	Titanium	Unit
10	118.010	TI-118.010	4
12	118.012	TI-118.012	4
14	118.014	TI-118.014	4
16	118.016	TI-118.016	4
18	118.018	TI-118.018	4
20	118.020	TI-118.020	4
22	118.022	TI-118.022	4
24	118.024	TI-118.024	4
26	118.026	TI-118.026	4
28	118.028	TI-118.028	4
30	118.030	TI-118.030	4
32	118.032	TI-118.032	4
34	118.034	TI-118.034	4
36	118.036	TI-118.036	4
38	118.038	TI-118.038	4
40	118.040	TI-118.040	4
42	118.042	TI-118.042	4
44	118.044	TI-118.044	4
46	118.046	TI-118.046	4
48	118.048	TI-118.048	4
50	118.050	TI-118.050	4
52	118.052	TI-118.052	4
54	118.054	TI-118.054	4
56	118.056	TI-118.056	4
58	118.058	TI-118.058	4
60	118.060	TI-118.060	4

**3.5mm Cortical Screw, Self-Tapping,
(Hex Head)**

Length (mm)	Stainless Steel	Titanium	Unit
10	104.210	TI-104.210	3
12	104.212	TI-104.212	3
14	104.214	TI-104.214	3
16	104.216	TI-104.216	3
18	104.218	TI-104.218	3
20	104.220	TI-104.220	3
22	104.222	TI-104.222	3
24	104.224	TI-104.224	3
26	104.226	TI-104.226	3
28	104.228	TI-104.228	3
30	104.230	TI-104.230	3
32	104.232	TI-104.232	3
34	104.234	TI-104.234	3
36	104.236	TI-104.236	3
38	104.238	TI-104.238	3
40	104.240	TI-104.240	3
42	104.242	TI-104.242	3
44	104.244	TI-104.244	3
46	104.246	TI-104.246	3
48	104.248	TI-104.248	3
50	104.250	TI-104.250	3

**3.5mm Wise-Lock Screw,
Self-Tapping (Hex Head)**

Length (mm)	Stainless Steel	Titanium	Unit
10	117.010	TI-117.010	5
12	117.012	TI-117.012	5
14	117.014	TI-117.014	5
16	117.016	TI-117.016	5
18	117.018	TI-117.018	5
20	117.020	TI-117.020	5
22	117.022	TI-117.022	5
24	117.024	TI-117.024	5
26	117.026	TI-117.026	5
28	117.028	TI-117.028	5
30	117.030	TI-117.030	5
35	117.035	TI-117.035	5
40	117.040	TI-117.040	5
45	117.045	TI-117.045	5
50	117.050	TI-117.050	5
55	117.055	TI-117.055	5
60	117.060	TI-117.060	5
65	117.065	TI-117.065	5
70	117.070	TI-117.070	5
75	117.075	TI-117.075	5
80	117.080	TI-117.080	5

**3.5mm Wise-Lock Cancellous Screw, Short Thread,
Self-Tapping, (Hex Head)**

Length (mm)	Stainless Steel	Titanium	Unit
10mm	1257.10	TI-1257.10	2
12mm	1257.12	TI-1257.12	2
14mm	1257.14	TI-1257.14	2
16mm	1257.16	TI-1257.16	2
18mm	1257.18	TI-1257.18	2
20mm	1257.20	TI-1257.20	2
22mm	1257.22	TI-1257.22	2
24mm	1257.24	TI-1257.24	2
26mm	1257.26	TI-1257.26	2
28mm	1257.28	TI-1257.28	2
30mm	1257.30	TI-1257.30	2
32mm	1257.32	TI-1257.32	2
34mm	1257.34	TI-1257.34	2
36mm	1257.36	TI-1257.36	2
38mm	1257.38	TI-1257.38	2
40mm	1257.40	TI-1257.40	2
42mm	1257.42	TI-1257.42	2
44mm	1257.44	TI-1257.44	2
46mm	1257.46	TI-1257.46	2
48mm	1257.48	TI-1257.48	2
50mm	1257.50	TI-1257.50	2
55mm	1257.55	TI-1257.55	2
60mm	1257.60	TI-1257.60	2

4.0mm Cancellous Screw, Full Thread

Length (mm)	Stainless Steel	Titanium	Unit
12	110.012	TI-110.012	2
14	110.014	TI-110.014	2
16	110.016	TI-110.016	2
18	110.018	TI-110.018	2
20	110.020	TI-110.020	2
22	110.022	TI-110.022	2
24	110.024	TI-110.024	2
26	110.026	TI-110.026	2
28	110.028	TI-110.028	2
30	110.030	TI-110.030	2
32	110.032	TI-110.032	2
34	110.034	TI-110.034	2
36	110.036	TI-110.036	2
38	110.038	TI-110.038	2
40	110.040	TI-110.040	2
45	110.045	TI-110.045	2
50	110.050	TI-110.050	2
55	110.055	TI-110.055	2
60	110.060	TI-110.060	2

4.0mm Cancellous Screw, Short Thread

Length (mm)	Stainless Steel	Titanium	Unit
12	109.012	TI-109.012	2
14	109.014	TI-109.014	2
16	109.016	TI-109.016	2
18	109.018	TI-109.018	2
20	109.020	TI-109.020	2
22	109.022	TI-109.022	2
24	109.024	TI-109.024	2
26	109.026	TI-109.026	2
28	109.028	TI-109.028	2
30	109.030	TI-109.030	2
32	109.032	TI-109.032	2
34	109.034	TI-109.034	2
36	109.036	TI-109.036	2
38	109.038	TI-109.038	2
40	109.040	TI-109.040	2
45	109.045	TI-109.045	2
50	109.050	TI-109.050	2
55	109.055	TI-109.055	2
60	109.060	TI-109.060	2

3.5mm Wise-Lock Cancellous Screw, Full Thread, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium	Unit
10mm	188.210	TI-188.210	2
12mm	188.212	TI-188.212	2
14mm	188.214	TI-188.214	2
16mm	188.216	TI-188.216	2
18mm	188.218	TI-188.218	2
20mm	188.220	TI-188.220	2
22mm	188.222	TI-188.222	2
24mm	188.224	TI-188.224	2
26mm	188.226	TI-188.226	2
28mm	188.228	TI-188.228	2
30mm	188.230	TI-188.230	2
32mm	188.232	TI-188.232	2
34mm	188.234	TI-188.234	2
36mm	188.236	TI-188.236	2
38mm	188.238	TI-188.238	2
40mm	188.240	TI-188.240	2
42mm	188.242	TI-188.242	2
44mm	188.244	TI-188.244	2
46mm	188.246	TI-188.246	2
48mm	188.248	TI-188.248	2
50mm	188.250	TI-188.250	2
55mm	188.255	TI-188.255	2
60mm	188.260	TI-188.260	2

3443-37

Depth Gauge measuring upto 80mm for Small Fragment

**3445-2.5**

T-Handle Screwdriver, Hex 2.5mm, Self-Retaining for Small Fragment

**3992-035**

Allen Key, Hex 3.0mm, for Small Fragment

**2100-2.0-110**

Drill Bit with Quick Coupling End, Ø2.0mm x Length 110mm, for Small Fragment

**2100-2.5-112**

Drill Bit with Quick Coupling End, Ø2.5mm x Length 112mm, for Small Fragment

**2100-3.5-112**

Drill Bit with Quick Coupling End, Ø3.5mm x Length 112mm, for Small Fragment



2103-2.8-165

Drill Bit Quick Coupling with Stopper, Ø2.8mm x Length 165mm, for Small Fragment


2104-27

Bone Tap Quick Coupling for Wise-Lock Screws, Ø2.7mm, for Small Fragment


2104-02


Bone Tap Quick Coupling for Cortical Screws, Ø3.5mm, for Small Fragment


2104-04


Bone Tap, Quick Coupling for Cancellous Screws, Ø4.0mm, for Small Fragment


3400-01

Countersink for Ø3.5/4.0mm Screws, Quick Coupling, for Small Fragment



3408-01

Hexagonal Screwdriver Shaft - 2.5mm Tip, Quick Coupling, for Small Fragment



3408-03

Hexagonal Screwdriver Shaft - 2.0mm Tip, Quick Coupling, for Small Fragment

**2186-2.5**

HSS Drill Bit, Ø2.5mm , for Small Fragment

**2106-1.2**

Guide Sleeve for Ø1.2mm K. Wires, for Small Fragment

**3443-05**

Depth Gauge with Protector measuring upto 50mm for Small Fragment

**3443-39**

Trepine for Small Fragment

**BT-SF-06**

Bending Template, Small, for Small Fragment



BT-SF-08 Bending Template, Medium, for Small Fragment



BT-SF-10 Bending Template, Large, for Small Fragment




3402-000 T-Handle with Quick Coupling for Small Fragment



1472-054 Quick Coupling Shaft



TDG-2.7 Threaded Drill Sleeve for Drill Bit Ø2.0mm - Small Fragment



3441-18 Threaded Drill Sleeve, for Drill Bit Ø2.8mm - Small Fragment



3420-01

Drill Sleeve Insert Ø3.5/2.5mm for Small Fragment


1472-036

Drill Guide 2.0mm for Small Fragment


1472-044

Double Drill Guide Ø2.0/2.7mm for Small


1472-046

Self-Centering Double Drill Guide, Ø2.5/3.5mm, for Small Fragment


3441-16

Drill Guide for Neutral and Loaded Positic


1472-066

Hohmann Retractor, 6.5mm, for Small Fragment



1472-068

Hohmann Retractor, 8.5mm, for Small Fragment

**2146-018**

Hohmann Retractor, 15.5mm, for Small Fragment

**2149-1012**

Periosteal Elevator, Straight, 12mm, for Small Fragment

**3406-02**

Hexagonal Screwdriver - 2.0mm Tip for Small Fragment

**3406-02S**

Screw Holding Sleeve for 2.0mm Tip Screwdriver, for Small Fragment

**3406-03**

Hexagonal Screwdriver - 2.5mm Tip, for Small Fragment



3406-03S

Screw Holding Sleeve for 2.5mm Tip Screwdriver, for Small Fragment

**3409-01L**

Bending Iron, Left

**3409-01R**

Bending Iron, Right

**2107-1180**

Reduction Forcep, Pointed, Ratchet Lock, 180mm, for Small Fragment

**2106-1160**

Reduction Forcep, Serrated Jaws, Speed Lock, 160mm, for Small Fragment

**2106-190**

Self-Centering Bone Holding Forcep, Speed Lock, 190mm, for Small Fragment



2150-1006

Periosteal Elevator with Silicon Handle, Curved, 6mm, for Small Fragment


TQ-2.0

Torque Limiting Attachment, 0.8Nm, for Small Fragment


TQ-2.5


Torque Limiting Attachment, 1.5Nm, for Small Fragment


1472-064

Torque Screwdriver Handle


GW-1.2-230

Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 10mm x Length 230mm


3415-000

Screw Holding Forcep




ST-007NW

Screw Caddy for 3.5mm Wise-Lock Small Fragment System




7-050-03

Instrument Trays for 3.5mm Wise-Lock Small Fragment Instrument Set





IC-2310-WL

Container for 3.5mm Wise-Lock Small Fragment Instrument Set



2302-000 Small Fragment Wise-Lock Instrument Set



2302-000 Small Fragment Wise-Lock Instrument Set

Codes	Set Consisting of:	Units
3443-37	Depth Gauge measuring upto 80mm for Small Fragment	1
3445-2.5	T-Handle Screwdriver, Hex 2.5mm, Self-Retaining for Small Fragment	1
3992-035	Allen Key, Hex 3.0mm, for Small Fragment	1
2100-2.0-110	Drill Bit with Quick Coupling End, Ø2.0mm x Length 110mm, for Small Fragment	2
2100-2.5-112	Drill Bit with Quick Coupling End, Ø2.5mm x Length 112mm, for Small Fragment	1
2100-3.5-112	Drill Bit with Quick Coupling End, Ø3.5mm x Length 112mm, for Small Fragment	1
2103-2.8-165	Drill Bit Quick Coupling with Stopper, Ø2.8mm x Length 165mm, for Small Fragment	2
2104-27	Bone Tap Quick Coupling for Wise-Lock Screws, Ø2.7mm, for Small Fragment	1
2104-02	Bone Tap Quick Coupling for Cortical Screws, Ø3.5mm, for Small Fragment	1
2104-04	Bone Tap, Quick Coupling for Cancellous Screws, Ø4.0mm, for Small Fragment	1
3400-01	Countersink for Ø3.5/4.0mm Screws, Quick Coupling, for Small Fragment	1
3408-01	Hexagonal Screwdriver Shaft - 2.5mm Tip, Quick Coupling, for Small Fragment	1
3408-03	Hexagonal Screwdriver Shaft - 2.0mm Tip, Quick Coupling, for Small Fragment	1
2186-2.5	HSS Drill Bit, Ø2.5mm , for Small Fragment	1
2106-1.2	Guide Sleeve for Ø1.2mm K. Wires, , for Small Fragment	1
3443-05	Depth Gauge with Protector measuring upto 50mm for Small Fragment	1
3443-39	Trephine for Small Fragment	1
BT-SF-06	Bending Template, Small, for Small Fragment	1
BT-SF-08	Bending Template, Medium, for Small Fragment	1
BT-SF-10	Bending Template, Large, for Small Fragment	1
3402-000	T-Handle with Quick Coupling for Small Fragment	1
1472-054	Quick Coupling Shaft	1
TDG-2.7	Threaded Drill Sleeve for Drill Bit Ø2.0mm - Small Fragment	2
3441-18	Threaded Drill Sleeve, for Drill Bit Ø2.8mm - Small Fragment	3
3420-01	Drill Sleeve Insert Ø3.5/2.5mm for Small Fragment	1
1472-036	Drill Guide 2.0mm for Small Fragment	1
1472-044	Double Drill Guide Ø2.0/2.7mm for Small Fragment	1
1472-046	Self-Centering Double Drill Guide, Ø2.5/3.5mm, for Small Fragment	1
3441-16	Drill Guide for Neutral and Loaded Position Ø3.5mm, for Small Fragment	1
1472-066	Hohmann Retractor, 6.5mm, for Small Fragment	1
1472-068	Hohmann Retractor, 8.5mm, for Small Fragment	1
2146-018	Hohmann Retractor, 15.5mm, for Small Fragment	2
2149-1012	Periosteal Elevator, Straight, 12mm, for Small Fragment	1
3406-02	Hexagonal Screwdriver - 2.0mm Tip for Small Fragment	1
3406-02S	Screw Holding Sleeve for 2.0mm Tip Screwdriver, for Small Fragment	1
3406-03	Hexagonal Screwdriver - 2.5mm Tip, for Small Fragment	1
3406-03S	Screw Holding Sleeve for 2.5mm Tip Screwdriver, for Small Fragment	1
3409-01L	Bending Iron, Left	1
3409-01R	Bending Iron, Right	1
2107-1180	Reduction Forcep, Pointed, Ratchet Lock, 180mm, for Small Fragment	1
2106-1160	Reduction Forcep, Serrated Jaws, Speed Lock, 160mm, for Small Fragment	1

Codes	Set Consisting of:	Units
2106-190	Self-Centering Bone Holding Forcep, Speed Lock, 190mm, for Small Fragment	2
2150-1006	Periosteal Elevator with Silicon Handle, Curved, 6mm, for Small Fragment	1
TQ-2.0	Torque Limiting Attachment, 0.8Nm, for Small Fragment	1
TQ-2.5	Torque Limiting Attachment, 1.5Nm, for Small Fragment	1
1472-064	Torque Screwdriver Handle	1
GW-1.2-230	Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 10mm x Length 230mm	3
3415-000	Screw Holding Forcep	1
ST-007NW	Screw Caddy for 3.5mm Wise-Lock Small Fragment System	1
7-050-03	Instrument Trays for 3.5mm Wise-Lock Small Fragment Instrument Set	2
IC-2310-WL	Container for 3.5mm Wise-Lock Small Fragment Instrument Set	1

5.0mm

Wise-Lock Large Fragment

5.0mm

Wise-Lock Large Fragment

FEMUR



Indications


- Distal shaft fractures
- Supracondylar fractures
- Intra-articular fractures
- Periprosthetic fractures

4.5/5.0mm Wise-Lock Distal Femur Plate


Round Locking Hole



Compression and Locking Hole



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
5	748.105L	TI-748.105L	748.105R	TI-748.105R
7	748.107L	TI-748.107L	748.107R	TI-748.107R
9	748.109L	TI-748.109L	748.109R	TI-748.109R
11	748.111L	TI-748.111L	748.111R	TI-748.111R
13	748.113L	TI-748.113L	748.113R	TI-748.113R
15	748.115L	TI-748.115L	748.115R	TI-748.115R



Indications

- Buttressing of multifragmentary distal femur fractures
- Supracondylar fractures
- Intra-articular and extra-articular condylar fractures
- Malunions and nonunions of the distal femur
- Periprosthetic fractures
- Osteopenic bone

4.5/5.0mm Wise-Lock Condylar Femur Plate




Round Locking Hole



Compression and Locking Hole



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
7	731.207L	TI-731.207L	731.207R	TI-731.207R
9	731.209L	TI-731.209L	731.209R	TI-731.209R
11	731.211L	TI-731.211L	731.211R	TI-731.211R
12	731.212L	TI-731.212L	731.212R	TI-731.212R
13	731.213L	TI-731.213L	731.213R	TI-731.213R
15	731.215L	TI-731.215L	731.215R	TI-731.215R





Indications

Wise-Lock Proximal Femur Plate 4.5/5.0 is intended for fractures of the femur including:


- Fractures of the trochanteric region, trochanteric simple, cervicotrochanteric, trochanterodiaphyseal, multifragmentary pertrochanteric, intertrochanteric, trochanteric reversed or transverse or with additional fracture of the medial cortex
- Fractures of the proximal end of the femur combined with ipsilateral shaft fractures
- Metastatic fracture of the proximal femur
- Osteotomies of the proximal femur
- Also for use in fixation of osteopenic

4.5/5.0mm Wise-Lock Proximal Femur Plate


Round Locking Hole




Compression and Locking Hole



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
2	798.002L	TI-798.002L	798.002R	TI-7798.002R
3	798.003L	TI-798.003L	798.003R	TI-798.003R
4	798.004L	TI-798.004L	798.004R	TI-798.004R
6	798.006L	TI-798.006L	798.006R	TI-798.006R
8	798.008L	TI-798.008L	798.008R	TI-798.008R
10	798.010L	TI-798.010L	798.010R	TI-798.010R
12	798.012L	TI-798.012L	798.012R	TI-798.012R
14	798.014L	TI-798.014L	798.014R	TI-798.014R
16	798.016L	TI-798.016L	798.016R	TI-798.016R

4.5/5.0mm Wise-Lock Proximal Femur Lateral Plate (Type-II)




Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4	1128.04L	TI-1128.04L	1128.04R	TI-1128.04R
5	1128.05L	TI-1128.05L	1128.05R	TI-1128.05R
6	1128.06L	TI-1128.06L	1128.06R	TI-1128.06R
7	1128.07L	TI-1128.07L	1128.07R	TI-1128.07R
8	1128.08L	TI-1128.08L	1128.08R	TI-1128.08R
9	1128.09L	TI-1128.09L	1128.09R	TI-1128.09R
10	1128.10L	TI-1128.10L	1128.10R	TI-1128.10R
12	1128.12L	TI-1128.12L	1128.12R	TI-1128.12R
14	1128.14L	TI-1128.14L	1128.14R	TI-1128.14R
16	1128.16L	TI-1128.16L	1128.16R	TI-1128.16R




Indications

Wise-Lock Proximal Femur Hook Plate 4.5/5.0 is intended for fractures of the femur including:

- Fractures of the trochanteric region, trochanteric simple, cervicotrochanteric, trochanterodiaphyseal, multifragmentary pertrochanteric, intertrochanteric, intertrochanteric reversed or transverse or with additional fracture of the medial cortex
- Fractures of the proximal end of the femur combined with ipsilateral shaft fractures
- Metastatic fracture of the proximal femur
- Osteotomies of the proximal femur
- Also for use in fixation of osteopenic bone and fixation of nonunions or malunions

4.5/5.0mm Wise-Lock Proximal Femur Hook Plate


Compression and Locking Hole



Holes	Stainless Steel	Titanium
2	579.002	TI-579.002
4	579.004	TI-579.004
6	579.006	TI-579.006
8	579.008	TI-579.008
10	579.010	TI-579.010
12	579.012	TI-579.012
14	579.014	TI-579.014
16	579.016	TI-579.016
18	579.018	TI-579.018

7-041 Proximal Femur Plate System

PDB-5.0 Cannulated Drill Bit Ø5.0mm x Length 230mm




PGW-2.0 Guide Wire Ø2.0mm x Length 250mm



7-041-02 Cannulated Screwdriver for 7.3mm Screws - Proximal Femur Plate



7-041-01 Direct Measuring Device for 7.3mm Screws - Proximal Femur Plate



7-041-03 Wire Guide 5.0mm, for Guide Wire Ø2.0mm - Proximal Femur Plate



7-041-04 Wire Guide 7.3mm, for Guide Wire Ø2.0mm - Proximal Femur Plate



7-041-05 Threaded Drill Guide 7.3mm for Ø5.0mm Drill Bit - Proximal Femur Plate



7-041-06 Threaded Drill Guide 5.0mm for Ø4.3mm Drill Bit - Proximal Femur Plate




7-041-07 Screw Caddy for Proximal Femur Plate System



7-041-10 Implant Tray for Proximal Femur Plate System



7-041-09 Instrument Tray for Proximal Femur Plate Instrument Set



7-041-08 Sterilization Container for Proximal Femur Plate Instrument Set




7-041 Proximal Femur Plate Instrument Set

Item Code	Item Name	Unit
PDB-5.0	Cannulated Drill Bit Ø5.0mm x Length 230mm	5
PGW-2.0	Guide Wire Ø2.0mm x Length 250mm	2
7-041-02	Cannulated Screwdriver for 7.3mm Screws - Proximal Femur Plate	1
7-041-01	Direct Measuring Device for 7.3mm Screws - Proximal Femur Plate	1
7-041-03	Wire Guide 5.0mm, for Guide Wire Ø2.0mm - Proximal Femur Plate	1
7-041-04	Wire Guide 7.3mm, for Guide Wire Ø2.0mm - Proximal Femur Plate	1
7-041-05	Threaded Drill Guide 7.3mm for Ø5.0mm Drill Bit - Proximal Femur Plate	1
7-041-06	Threaded Drill Guide 5.0mm for Ø4.3mm Drill Bit - Proximal Femur Plate	1
7-041-07	Screw Caddy for Proximal Femur Plate System	1
7-041-10	Implant Tray for Proximal Femur Plate System	2
7-041-09	Instrument Tray for Proximal Femur Plate Instrument Set	1
7-041-08	Sterilization Container for Proximal Femur Plate Instrument Set	1

5.0mm

Wise-Lock Large Fragment

TIBIA



Indications

- Proximal shaft fractures
- Metaphyseal fractures
- Intra-articular fractures
- Periprosthetic fractures


4.5/5.0mm Wise-Lock Proximal Lateral Tibia Plate




Round Locking Hole



Compression and Locking Hole



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
5	733.205L	TI-733.205L	733.205R	TI-733.205R
7	733.207L	TI-733.207L	733.207R	TI-733.207R
9	733.209L	TI-733.209L	733.209R	TI-733.209R
11	733.211L	TI-733.211L	733.211R	TI-733.211R
13	733.213L	TI-733.213L	733.213R	TI-733.213R



Indications

Wise-Lock Medial Proximal Tibia Plates 4.5/5.0 are intended to buttress metaphyseal fractures of the medial tibia plateau, split-type fractures of the medial tibia plateau, medial split fractures with associated depressions and split or depression fractures of the medial tibia plateau. The plates may also be used for fixation of the proximal quarter (lateral and medial) of the tibia, as well as segmental fractures of the proximal tibia. The Wise-Lock Medial Proximal Tibia Plates 4.5/5.0 may also be used for fixation of nonunions and malunions of the medial proximal tibia and tibia shaft, as well as opening and closing wedge tibia osteotomies.

4.5/5.0mm Wise-Lock Medial Proximal Tibia Plate


Round Locking Hole



Compression and Locking Hole




Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4	747.204L	TI-747.204L	747.204R	TI-747.204R
6	747.206L	TI-747.206L	747.206R	TI-747.206R
8	747.208L	TI-747.208L	747.208R	TI-747.208R
10	747.210L	TI-747.210L	747.210R	TI-747.210R
12	747.212L	TI-747.212L	747.212R	TI-747.212R
14	747.214L	TI-747.214L	747.214R	TI-747.214R
16	747.216L	TI-747.216L	747.216R	TI-747.216R

**Indications**

Wise-Lock 4.5mm Proximal Tibia Plate is intended for treatment of osteopenic bone, tibia osteotomies, nonunions, malunions and fractures of the proximal tibia including:

- Simple, comminuted fractures
- Lateral wedge fractures
- Depression medial wedge fractures
- Bicondylar combination of lateral wedge and depression fractures
- Periprosthetic fractures
- Proximal fractures with associated shaft fractures

4.5/5.0mm Wise-Lock Proximal Tibia Plate


Round Locking Hole



Compression and Locking Hole



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4	749.104L	TI-749.104L	749.104R	TI-749.104R
6	749.106L	TI-749.106L	749.106R	TI-749.106R
8	749.108L	TI-749.108L	749.108R	TI-749.108R
10	749.110L	TI-749.110L	749.110R	TI-749.110R
12	749.112L	TI-749.112L	749.112R	TI-749.112R
14	749.114L	TI-749.114L	749.114R	TI-749.114R

5.0mm

Wise-Lock Large Fragment

GENERAL

4.5/5.0mm Wise-Lock Reconstruction Plate


Compression and Locking Hole



Holes	Stainless Steel	Titanium
3	728.203	TI-728.203
4	728.204	TI-728.204
5	728.205	TI-728.205
6	728.206	TI-728.206
7	728.207	TI-728.207
8	728.208	TI-728.208
9	728.209	TI-728.209
10	728.210	TI-728.210
11	728.211	TI-728.211
12	728.212	TI-728.212
13	728.213	TI-728.213
14	728.214	TI-728.214
15	728.215	TI-728.215
16	728.216	TI-728.216

4.5/5.0mm Wise-Lock Narrow Dynamic Compression Plate with LC under cuts


Compression and Locking Hole




Holes	Stainless Steel	Titanium
2	723.202	TI-723.202
3	723.203	TI-723.203
4	723.204	TI-723.204
5	723.205	TI-723.205
6	723.206	TI-723.206
7	723.207	TI-723.207
8	723.208	TI-723.208
9	723.209	TI-723.209
10	723.210	TI-723.210
11	723.211	TI-723.211
12	723.212	TI-723.212
14	723.214	TI-723.214
16	723.216	TI-723.216
18	723.218	TI-723.218
20	723.220	TI-723.220
22	723.222	TI-723.222
24	723.224	TI-723.224

4.5/5.0mm Wise-Lock Broad Dynamic Compression Plate with LC under cuts



Compression and Locking Hole



Holes	Stainless Steel	Titanium
5	725.205	TI-725.205
6	725.206	TI-725.206
7	725.207	TI-725.207
8	725.208	TI-725.208
9	725.209	TI-725.209
10	725.210	TI-725.210
11	725.211	TI-725.211
12	725.212	TI-725.212
13	725.213	TI-725.213
14	725.214	TI-725.214
15	725.215	TI-725.215
16	725.216	TI-725.216
18	725.218	TI-725.218
20	725.220	TI-725.220
22	725.222	TI-725.222
24	725.224	TI-725.224

4.5/5.0mm Wise-Lock Curved Broad Plate


Compression and Locking Hole



Holes	Stainless Steel	Titanium
12	750.112	TI-750.112
13	750.113	TI-750.113
14	750.114	TI-750.114
15	750.115	TI-750.115
16	750.116	TI-750.116
17	750.117	TI-750.117
18	750.118	TI-750.118

4.5/5.0mm Wise-Lock "L" Buttress Plate



Round Locking Hole



Compression and Locking Hole



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	706.203L	TI-706.203L	706.203R	TI-706.203R
4	706.204L	TI-706.204L	706.204R	TI-706.204R
5	706.205L	TI-706.205L	706.205R	TI-706.205R
6	706.206L	TI-706.206L	706.206R	TI-706.206R
7	706.207L	TI-706.207L	706.207R	TI-706.207R
8	706.208L	TI-706.208L	706.208R	TI-706.208R
9	706.209L	TI-706.209L	706.209R	TI-706.209R
10	706.210L	TI-706.210L	706.210R	TI-706.210R
12	706.212L	TI-706.212L	706.212R	TI-706.212R

4.5/5.0mm Wise-Lock "T" Buttress Plate


Round Locking Hole



Compression and Locking Hole



Holes	Stainless Steel	Titanium
4	714.204	TI-714.204
5	714.205	TI-714.205
6	714.206	TI-714.206
7	714.207	TI-714.207
8	714.208	TI-714.208
9	714.209	TI-714.209
10	714.210	TI-714.210
12	714.212	TI-714.212

4.5/5.0mm Wise-Lock "T" Plate


Compression and Locking Hole



Holes	Stainless Steel	Titanium
3	709.203	TI-709.203
4	709.204	TI-709.204
5	709.205	TI-709.205
6	709.206	TI-709.206
7	709.207	TI-709.207
8	709.208	TI-709.208
9	709.209	TI-709.209
10	709.210	TI-709.210
12	709.212	TI-709.212

4.5mm Cortical Screw, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
* 12	105.212	TI-105.212
* 14	105.214	TI-105.214
* 16	105.216	TI-105.216
* 18	105.218	TI-105.218
20	105.220	TI-105.220
22	105.222	TI-105.222
24	105.224	TI-105.224
26	105.226	TI-105.226
28	105.228	TI-105.228
30	105.230	TI-105.230
32	105.232	TI-105.232
34	105.234	TI-105.234
36	105.236	TI-105.236
38	105.238	TI-105.238
40	105.240	TI-105.240
42	105.242	TI-105.242
44	105.244	TI-105.244
46	105.246	TI-105.246
48	105.248	TI-105.248
50	105.250	TI-105.250
52	105.252	TI-105.252
54	105.254	TI-105.254
* 55	105.255	TI-105.255
56	105.256	TI-105.256
58	105.258	TI-105.258
60	105.260	TI-105.260
65	105.265	TI-105.265
70	105.270	TI-105.270
80	105.280	TI-105.280
* 85	105.285	TI-105.285
* 90	105.290	TI-105.290

* Sizes not available in Screw Caddy



5.0mm Wise-Lock Screw, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
12	119.012	TI-119.012
14	119.014	TI-119.014
16	119.016	TI-119.016
18	119.018	TI-119.018
20	119.020	TI-119.020
22	119.022	TI-119.022
24	119.024	TI-119.024
26	119.026	TI-119.026
28	119.028	TI-119.028
30	119.030	TI-119.030
32	119.032	TI-119.032
34	119.034	TI-119.034
36	119.036	TI-119.036
38	119.038	TI-119.038
40	119.040	TI-119.040
42	119.042	TI-119.042
44	119.044	TI-119.044
46	119.046	TI-119.046
48	119.048	TI-119.048
50	119.050	TI-119.050
52	119.052	TI-119.052
54	119.054	TI-119.054
56	119.056	TI-119.056
58	119.058	TI-119.058
60	119.060	TI-119.060
65	119.065	TI-119.065
70	119.070	TI-119.070
75	119.075	TI-119.075
80	119.080	TI-119.080
85	119.085	TI-119.085
90	119.090	TI-119.090



5.0mm Wise-Lock Screw, Self-Tapping & Self-Drilling, (Hex Head)

Length (mm)	Stainless Steel	Titanium
12	119.212	TI-119.212
14	119.214	TI-119.214
16	119.216	TI-119.216
18	119.218	TI-119.218
20	119.220	TI-119.220
22	119.222	TI-119.222
24	119.224	TI-119.224
26	119.226	TI-119.226
28	119.228	TI-119.228
30	119.230	TI-119.230
32	119.232	TI-119.232
34	119.234	TI-119.234
36	119.236	TI-119.236
38	119.238	TI-119.238
40	119.240	TI-119.240
42	119.242	TI-119.242
44	119.244	TI-119.244
46	119.246	TI-119.246
48	119.248	TI-119.248
50	119.250	TI-119.250
55	119.255	TI-119.255
60	119.260	TI-119.260
65	119.265	TI-119.265
70	119.270	TI-119.270
75	119.275	TI-119.275
80	119.280	TI-119.280
85	119.285	TI-119.285
90	119.290	TI-119.290



5.0mm Wise-Lock Cancellous Screw, Full Thread, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
20	1360-20	TI-1360-20
22	1360-22	TI-1360-22
24	1360-24	TI-1360-24
26	1360-26	TI-1360-26
28	1360-28	TI-1360-28
30	1360-30	TI-1360-30
32	1360-32	TI-1360-32
34	1360-34	TI-1360-34
36	1360-36	TI-1360-36
38	1360-38	TI-1360-38
40	1360-40	TI-1360-40
42	1360-42	TI-1360-42
44	1360-44	TI-1360-44
46	1360-46	TI-1360-46
48	1360-48	TI-1360-48
50	1360-50	TI-1360-50
55	1360-55	TI-1360-55
60	1360-60	TI-1360-60
65	1360-65	TI-1360-65
70	1360-70	TI-1360-70
75	1360-75	TI-1360-75
80	1360-80	TI-1360-80
85	1360-85	TI-1360-85
90	1360-90	TI-1360-90
95	1360-95	TI-1360-95
100	1360-100	TI-1360-100
105	1360-105	TI-1360-105
110	1360-110	TI-1360-110



5.0mm Wise-Lock Cancellous Screw, Short Thread, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
20	1256-20	TI-1256-20
22	1256-22	TI-1256-22
24	1256-24	TI-1256-24
26	1256-26	TI-1256-26
28	1256-28	TI-1256-28
30	1256-30	TI-1256-30
32	1256-32	TI-1256-32
34	1256-34	TI-1256-34
36	1256-36	TI-1256-36
38	1256-38	TI-1256-38
40	1256-40	TI-1256-40
42	1256-42	TI-1256-42
44	1256-44	TI-1256-44
46	1256-46	TI-1256-46
48	1256-48	TI-1256-48
50	1256-50	TI-1256-50
55	1256-55	TI-1256-55
60	1256-60	TI-1256-60
65	1256-65	TI-1256-65
70	1256-70	TI-1256-70
75	1256-75	TI-1256-75
80	1256-80	TI-1256-80
85	1256-85	TI-1256-85
90	1256-90	TI-1256-90
95	1256-95	TI-1256-95
100	1256-100	TI-1256-100
105	1256-105	TI-1256-105
110	1256-110	TI-1256-110



5.0mm Wise-Lock Cannulated Screw, Full Thread, Self-Tapping

Length (mm)	Stainless Steel	Titanium
20	156.020	TI-156.020
25	156.025	TI-156.025
30	156.030	TI-156.030
35	156.035	TI-156.035
40	156.040	TI-156.040
45	156.045	TI-156.045
50	156.050	TI-156.050
55	156.055	TI-156.055
60	156.060	TI-156.060
65	156.065	TI-156.065
70	156.070	TI-156.070
75	156.075	TI-156.075
80	156.080	TI-156.080
85	156.085	TI-156.085
90	156.090	TI-156.090
95	156.095	TI-156.095
100	156.100	TI-156.100
105	156.105	TI-156.105
110	156.110	TI-156.110
115	156.115	TI-156.115
120	156.120	TI-156.120



5.0mm Wise-Lock Cannulated Screw, Partial Thread, Self-Tapping

Length (mm)	Stainless Steel	Titanium
30	1269.30	TI-1269.30
35	1269.35	TI-1269.35
40	1269.40	TI-1269.40
45	1269.45	TI-1269.45
50	1269.50	TI-1269.50
55	1269.55	TI-1269.55
60	1269.60	TI-1269.60
65	1269.65	TI-1269.65
70	1269.70	TI-1269.70
75	1269.75	TI-1269.75
80	1269.80	TI-1269.80
85	1269.85	TI-1269.85
90	1269.90	TI-1269.90
95	1269.95	TI-1269.95
100	1269.100	TI-1269.100



6.5mm Cancellous Screw, 16mm Thread

Length (mm)	Stainless Steel	Titanium
25	111.025	TI-111.025
30	111.030	TI-111.030
35	111.035	TI-111.035
40	111.040	TI-111.040
45	111.045	TI-111.045
50	111.050	TI-111.050
55	111.055	TI-111.055
60	111.060	TI-111.060
65	111.065	TI-111.065
70	111.070	TI-111.070
75	111.075	TI-111.075
80	111.080	TI-111.080
85	111.085	TI-111.085
90	111.090	TI-111.090
95	111.095	TI-111.095
100	111.100	TI-111.100
* 105	111.105	TI-111.105
* 110	111.110	TI-111.110
* 115	111.115	TI-111.115
* 120	111.120	TI-111.120

* Sizes not available in Screw Caddy



6.5mm Cancellous Screw, 32mm Thread

Length (mm)	Stainless Steel	Titanium
35	112.035	TI-112.035
40	112.040	TI-112.040
45	112.045	TI-112.045
50	112.050	TI-112.050
55	112.055	TI-112.055
60	112.060	TI-112.060
65	112.065	TI-112.065
70	112.070	TI-112.070
75	112.075	TI-112.075
80	112.080	TI-112.080
85	112.085	TI-112.085
90	112.090	TI-112.090
95	112.095	TI-112.095
100	112.100	TI-112.100
* 105	112.105	TI-112.105
* 110	112.110	TI-112.110
* 115	112.115	TI-112.115
* 120	112.120	TI-112.120



* Sizes not available in Screw Caddy

6.5mm Cancellous Screw, Full Thread

Length (mm)	Stainless Steel	Titanium
35	113.035	TI-113.035
40	113.040	TI-113.040
45	113.045	TI-113.045
50	113.050	TI-113.050
55	113.055	TI-113.055
60	113.060	TI-113.060
65	113.065	TI-113.065
70	113.070	TI-113.070
75	113.075	TI-113.075
80	113.080	TI-113.080
85	113.085	TI-113.085
90	113.090	TI-113.090
95	113.095	TI-113.095
100	113.100	TI-113.100
* 105	113.105	TI-113.105
* 110	113.110	TI-113.110
* 115	113.115	TI-113.115
* 120	113.120	TI-113.120

* Sizes not available in Screw Caddy



TI-007NW Screw Caddy for 5.0mm Wise-Lock Large Fragment System



**4.5mm Cortical Screw,
Self-Tapping, (Hex Head)**

Length (mm)	Stainless Steel	Titanium	Unit
20	105.220	TI-105.220	3
22	105.222	TI-105.222	3
24	105.224	TI-105.224	3
26	105.226	TI-105.226	3
28	105.228	TI-105.228	3
30	105.230	TI-105.230	3
32	105.232	TI-105.232	3
34	105.234	TI-105.234	3
36	105.236	TI-105.236	3
38	105.238	TI-105.238	3
40	105.240	TI-105.240	3
42	105.242	TI-105.242	3
44	105.244	TI-105.244	3
46	105.246	TI-105.246	3
48	105.248	TI-105.248	3
50	105.250	TI-105.250	3
52	105.252	TI-105.252	3
54	105.254	TI-105.254	3
56	105.256	TI-105.256	3
58	105.258	TI-105.258	3
60	105.260	TI-105.260	3
65	105.265	TI-105.265	3
70	105.270	TI-105.270	3
80	105.280	TI-105.280	3

**5.0mm Wise-Lock Screw,
Self-Tapping, (Hex Head)**

Length (mm)	Stainless Steel	Titanium	Unit
12	119.012	TI-119.012	5
14	119.014	TI-119.014	5
16	119.016	TI-119.016	5
18	119.018	TI-119.018	5
20	119.020	TI-119.020	5
22	119.022	TI-119.022	5
24	119.024	TI-119.024	5
26	119.026	TI-119.026	5
28	119.028	TI-119.028	5
30	119.030	TI-119.030	5
32	119.032	TI-119.032	5
34	119.034	TI-119.034	5
36	119.036	TI-119.036	5
38	119.038	TI-119.038	5
40	119.040	TI-119.040	5
42	119.042	TI-119.042	5
44	119.044	TI-119.044	5
46	119.046	TI-119.046	5
48	119.048	TI-119.048	5
50	119.050	TI-119.050	5
52	119.052	TI-119.052	5
54	119.054	TI-119.054	5
56	119.056	TI-119.056	5
58	119.058	TI-119.058	5
60	119.060	TI-119.060	5
65	119.065	TI-119.065	5
70	119.070	TI-119.070	5
75	119.075	TI-119.075	5
80	119.080	TI-119.080	5
85	119.085	TI-119.085	5
90	119.090	TI-119.090	5

**5.0mm Wise-Lock Cancellous Screw,
Full Thread, Self-Tapping, (Hex Head)**

Length (mm)	Stainless Steel	Titanium	Unit
20	1360-20	TI-1360-20	2
22	1360-22	TI-1360-22	2
24	1360-24	TI-1360-24	2
26	1360-26	TI-1360-26	2
28	1360-28	TI-1360-28	2
30	1360-30	TI-1360-30	2
32	1360-32	TI-1360-32	2
34	1360-34	TI-1360-34	2
36	1360-36	TI-1360-36	2
38	1360-38	TI-1360-38	2
40	1360-40	TI-1360-40	2
42	1360-42	TI-1360-42	2
44	1360-44	TI-1360-44	2
46	1360-46	TI-1360-46	2
48	1360-48	TI-1360-48	2
50	1360-50	TI-1360-50	2
55	1360-55	TI-1360-55	2
60	1360-60	TI-1360-60	2
65	1360-65	TI-1360-65	2
70	1360-70	TI-1360-70	2
75	1360-75	TI-1360-75	2
80	1360-80	TI-1360-80	2
85	1360-85	TI-1360-85	2
90	1360-90	TI-1360-90	2
95	1360-95	TI-1360-95	2
100	1360-100	TI-1360-100	2
105	1360-105	TI-1360-105	2
110	1360-110	TI-1360-110	2

**5.0mm Wise-Lock Cancellous Screw, Short
Thread, Self-Tapping, (Hex Head)**

Length (mm)	Stainless Steel	Titanium	Unit
20	1256-20	TI-1256-20	2
22	1256-22	TI-1256-22	2
24	1256-24	TI-1256-24	2
26	1256-26	TI-1256-26	2
28	1256-28	TI-1256-28	2
30	1256-30	TI-1256-30	2
32	1256-32	TI-1256-32	2
34	1256-34	TI-1256-34	2
36	1256-36	TI-1256-36	2
38	1256-38	TI-1256-38	2
40	1256-40	TI-1256-40	2
42	1256-42	TI-1256-42	2
44	1256-44	TI-1256-44	2
46	1256-46	TI-1256-46	2
48	1256-48	TI-1256-48	2
50	1256-50	TI-1256-50	2
55	1256-55	TI-1256-55	2
60	1256-60	TI-1256-60	2
65	1256-65	TI-1256-65	2
70	1256-70	TI-1256-70	2
75	1256-75	TI-1256-75	2
80	1256-80	TI-1256-80	2
85	1256-85	TI-1256-85	2
90	1256-90	TI-1256-90	2
95	1256-95	TI-1256-95	2
100	1256-100	TI-1256-100	2
105	1256-105	TI-1256-105	2
110	1256-110	TI-1256-110	2

6.5mm Cancellous Screw, 16mm Thread

Length (mm)	Stainless Steel	Titanium	Unit
25	111.025	TI-111.025	1
30	111.030	TI-111.030	1
35	111.035	TI-111.035	1
40	111.040	TI-111.040	1
45	111.045	TI-111.045	1
50	111.050	TI-111.050	1
55	111.055	TI-111.055	1
60	111.060	TI-111.060	1
65	111.065	TI-111.065	1
70	111.070	TI-111.070	1
75	111.075	TI-111.075	1
80	111.080	TI-111.080	1
85	111.085	TI-111.085	1
90	111.090	TI-111.090	1
95	111.095	TI-111.095	1
100	111.100	TI-111.100	1

6.5mm Cancellous Screw, 32mm Thread

Length (mm)	Stainless Steel	Titanium	Unit
35	112.035	TI-112.035	1
40	112.040	TI-112.040	1
45	112.045	TI-112.045	1
50	112.050	TI-112.050	1
55	112.055	TI-112.055	1
60	112.060	TI-112.060	1
65	112.065	TI-112.065	1
70	112.070	TI-112.070	1
75	112.075	TI-112.075	1
80	112.080	TI-112.080	1
85	112.085	TI-112.085	1
90	112.090	TI-112.090	1
95	112.095	TI-112.095	1
100	112.100	TI-112.100	1

6.5mm Cancellous Screw, Full Thread

Length (mm)	Stainless Steel	Titanium	Unit
35	113.035	TI-113.035	1
40	113.040	TI-113.040	1
45	113.045	TI-113.045	1
50	113.050	TI-113.050	1
55	113.055	TI-113.055	1
60	113.060	TI-113.060	1
65	113.065	TI-113.065	1
70	113.070	TI-113.070	1
75	113.075	TI-113.075	1
80	113.080	TI-113.080	1
85	113.085	TI-113.085	1
90	113.090	TI-113.090	1
95	113.095	TI-113.095	1
100	113.100	TI-113.100	1

**5.0mm Wise-Lock Screw,
Self-Tapping & Self-Drilling,(Hex Head)**

Length (mm)	Stainless Steel	Titanium	Unit
12	119.212	TI-119.212	5
14	119.214	TI-119.214	5
16	119.216	TI-119.216	5
18	119.218	TI-119.218	5
20	119.220	TI-119.220	5
22	119.222	TI-119.222	5
24	119.224	TI-119.224	5
26	119.226	TI-119.226	5
28	119.228	TI-119.228	5
30	119.230	TI-119.230	5
32	119.232	TI-119.232	5
34	119.234	TI-119.234	5
36	119.236	TI-119.236	5
38	119.238	TI-119.238	5
40	119.240	TI-119.240	5
42	119.242	TI-119.242	5
44	119.244	TI-119.244	5
46	119.246	TI-119.246	5
48	119.248	TI-119.248	5
50	119.250	TI-119.250	5
60	119.260	TI-119.260	5
65	119.265	TI-119.265	5
70	119.270	TI-119.270	5
75	119.275	TI-119.275	5
80	119.280	TI-119.280	5
85	119.285	TI-119.285	5
90	119.290	TI-119.290	5

2100-3.2-145

Drill Bit with Quick Coupling End, Ø3.2mm x Length 145mm, for Large Fragment


2100-4.5-145

Drill Bit with Quick Coupling End, Ø4.5mm x Length 145mm, for Large Fragment


2103-07

Bone Tap Quick Coupling for Ø4.5mm Cortical Screws, for Large Fragment


2103-09

Bone Tap Quick Coupling for Ø6.5mm Cancellous Screws, for Large Fragment


2103-4.3-225

Drill Bit Quick Coupling with Stopper Ø4.3mm x Length 225mm, for Large Fragment


2106-2.0

Guide Sleeve for Ø2.0mm K. Wires - Large Fragment



3400-02

T-Handle Countersink for Ø4.5/6.5mm Screws, for Large Fragment

**3420-02**


Insert Drill Sleeve, Ø4.5/3.2mm, for Large Fragment

**3443-38-5.0**

Extraction Screw, Ø5.0mm

**3408-04**

Hexagonal Screwdriver Shaft - 3.5mm Tip, Quick Coupling, Short

**2186-3.5**

HSS Drill Bit, Ø3.5mm, for Large Fragment

**3767-4.5**

Double Drill Guide, Ø4.5/3.2mm



1472-058

Self-Centering Double Drill Guide, Ø4.5/3.2mm, for Large Fragment



3767-6.5

Double Drill Guide, Ø6.5/3.2mm



BT-LF-S

Bending Template, Small, for Wise-Lock Large Fragment



BT-LF-M

Bending Template, Medium, for Wise-Lock Large Fragment



BT-LF-L

Bending Template, Large, for Wise-Lock Large Fragment



1472-062

Threaded Drill Sleeve for Drill Bit Ø4.3mm - Large Fragment



GW-2.0-230

Guide Wire with Threaded Tip, Ø2.0mm x Thread Length 10mm x Length 230mm

**3766-003**

Allen Key, Hex 3.0mm for Large Fragment

**1472-052**

Pulling Drill Bit, Ø4.0mm, for Large Fragment

**3443-400**

Depth Gauge measuring upto 110mm

**3406-04**

Screwdriver, Hex 3.5mm

**3406-04S**

Holding Sleeve for Screwdriver, Hex 3.5mm, for Locking Screw



3445-3.5


T-Handle Screwdriver, Hex 3.5mm, Self-Retaining for Large Fragment


1472-056

Screwdriver Holding Sleeve for Cortical and Cancellous Screws


3408-04L

Hexagonal Screwdriver Shaft with Quick Coupling - 3.5mm Tip, Long


7-051-04

Trephine for Large Fragment


3402-000

T-Handle with Quick Coupling


1472-054

Quick Coupling Shaft



TQ-3.5 Torque Limiting Attachment, 4.0Nm, for Large Fragment



1472-064 Torque Screwdriver Handle



3409-01L Bending Iron, Left



3409-01R Bending Iron, Right



1472-032 Articulated Tension Device



1472-034 Articulated Tension Device Key



2150-1008

Periosteal Elevator, Round, 8mm


2150-1016

Periosteal Elevator, Flat, 16mm


2107-1240

Reduction Forcep, Pointed, Ratchet Lock, 240mm, for Large Fragment


2106-1240

Reduction Forcep, Serrated, Speed Lock, 240mm, for Large Fragment


2105-000

Self-Centering Bone Holding Forcep, Speed Lock


1472-070

Hohmann Retractor, 44mm, for Large Fragment



2146-016 Hohmann Retractor, 16mm, for Large Fragment




7-051-03 Screw Holding Forcep for Wise-Lock Large Fragment




TI-007NW Screw Caddy for 5.0mm Wise-Lock Large Fragment System







7-051-02 Instrument Trays for 5.0mm Wise-Lock Large Fragment Instrument Set



SC-004 Container for 5.0mm Wise-Lock Large Fragment Instrument Set



2303-000 Large Fragment Wise-Lock Instrument Set



2303-000 Large Fragment Wise-Lock Instrument Set


Codes	Set Consisting of:	Units
2100-3.2-145	Drill Bit with Quick Coupling End, Ø3.2mm x Length 145mm, for Large Fragment	1
2100-4.5-145	Drill Bit with Quick Coupling End, Ø4.5mm x Length 145mm, for Large Fragment	1
2103-07	Bone Tap Quick Coupling for Ø4.5mm Cortical Screws, for Large Fragment	1
2103-09	Bone Tap Quick Coupling for Ø6.5mm Cancellous Screws, for Large Fragment	1
2103-4.3-225	Drill Bit Quick Coupling with Stopper Ø4.3mm x Length 225mm, for Large Fragment	2
2106-2.0	Guide Sleeve for Ø2.0mm K. Wires - Large Fragment	1
3400-02	T-Handle Countersink for Ø4.5/6.5mm Screws, for Large Fragment	1
3420-02	Insert Drill Sleeve, Ø4.5/3.2mm, for Large Fragment	1
3443-38-5.0	Extraction Screw, Ø5.0mm	1
3408-04	Hexagonal Screwdriver Shaft - 3.5mm Tip, Quick Coupling, Short	1
2186-3.5	HSS Drill Bit, Ø3.5mm, for Large Fragment	1
3767-4.5	Double Drill Guide, Ø4.5/3.2mm	1
1472-058	Self-Centering Double Drill Guide, Ø4.5/3.2mm, for Large Fragment	1
3767-6.5	Double Drill Guide, Ø6.5/3.2mm	1
BT-LF-S	Bending Template, Small, for Wise-Lock Large Fragment	1
BT-LF-M	Bending Template, Medium, for Wise-Lock Large Fragment	1
BT-LF-L	Bending Template, Large, for Wise-Lock Large Fragment	1
1472-062	Threaded Drill Sleeve for Drill Bit Ø4.3mm - Large Fragment	3
GW-2.0-230	Guide Wire with Threaded Tip, Ø2.0mm x Thread Length 10mm x Length 230mm	3
3766-003	Allen Key, Hex 3.0mm for Large Fragment	1
1472-052	Pulling Drill Bit, Ø4.0mm, for Large Fragment	1
3443-400	Depth Gauge measuring upto 110mm	1
3406-04	Screwdriver, Hex 3.5mm	1
3406-04S	Holding Sleeve for Screwdriver, Hex 3.5mm, for Locking Screw	1
3445-3.5	T-Handle Screwdriver, Hex 3.5mm, Self-Retaining for Large Fragment	1
1472-056	Screwdriver Holding Sleeve for Cortical and Cancellous Screws	1
3408-04L	Hexagonal Screwdriver Shaft with Quick Coupling - 3.5mm Tip, Long	1
7-051-04	Trephine for Large Fragment	1
3402-000	T-Handle with Quick Coupling	1
1472-054	Quick Coupling Shaft	1
TQ-3.5	Torque Limiting Attachment, 4.0Nm, for Large Fragment	1
1472-064	Torque Screwdriver Handle	1
3409-01L	Bending Iron, Left	1
3409-01R	Bending Iron, Right	1
1472-032	Articulated Tension Device	1
1472-034	Articulated Tension Device Key	1
2150-1008	Periosteal Elevator, Round, 8mm	1

Codes	Set Consisting of:	Units
2150-1016	Periosteal Elevator, Flat, 16mm	1
2107-1240	Reduction Forcep, Pointed, Ratchet Lock, 240mm, for Large Fragment	1
2106-1240	Reduction Forcep, Serrated, Speed Lock, 240mm, for Large Fragment	1
2105-000	Self-Centering Bone Holding Forcep, Speed Lock	2
1472-070	Hohmann Retractor, 44mm, for Large Fragment	1
2146-016	Hohmann Retractor, 16mm, for Large Fragment	1
7-051-03	Screw Holding Forcep for Wise-Lock Large Fragment	1
TI-007NW	Screw Caddy for 5.0mm Wise-Lock Large Fragment System	1
7-051-02	Instrument Trays for 5.0mm Wise-Lock Large Fragment Instrument Set	3
SC-004	Container for 5.0mm Wise-Lock Large Fragment Instrument Set	1

5.0mm

Wise-Lock Large Fragment

OSTEOTOMY SYSTEM



Indications

Osteotomy

Open-wedge and closed-wedge osteotomies of the:

- Medial high tibia
- Lateral high tibia
- Lateral distal femur

Osteotomy Medial Distal Femur

Indications

- Unicompartamental lateral gonarthrosis with valgus malalignment of the distal femur
- Idiopathic or posttraumatic valgus deformity of the distal femur
- Patient age below 65 – 70 yrs.
- Physically active patients
- Pre-operative range of motion of the knee joint of at least E/F 0/10/90°

Contraindications


- Arthritis and third to fourth degree cartilage degeneration in the medial compartment
- Complete medial meniscectomy
- Severe obesity
- Insufficient soft tissue conditions
- Nicotine abuse

4.5/5.0mm Wise-Lock Osteotomy Medial High Tibia Plate



Holes	Stainless Steel	Titanium
5	575.005	TI-575.005

4.5/5.0mm Wise-Lock Osteotomy Lateral High Tibia Plate


	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
3	576.003L	TI-576.003L	576.003R	TI-576.003R

4.5/5.0mm Wise-Lock Osteotomy Lateral Distal Femur Plate


	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
5	577.005L	TI-577.005L	577.005R	TI-577.005R


**Indications**

- Unicompartmental lateral gonarthrosis with valgusmalalignment of the distal femur
- Idiopathic or posttraumatic valgus deformity of the distal femur
- Patient age below 65–70 yrs.
- Physically active patients
- Pre-operative range of motion of the knee joint of at least E/F 0/10/90°

Contraindications

- Arthritis and third to fourth degree cartilage degeneration in the medial compartment
- Complete medial meniscectomy
- Severe obesity
- Insufficient soft tissue conditions
- Nicotine abuse

4.5/5.0mm Wise-Lock Osteotomy Medial Distal Femur Plate



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4	578.004L	TI-578.004L	578.004R	TI-578.004R

4.5mm Cortical Screw, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
20	105.220	TI-105.220
22	105.222	TI-105.222
24	105.224	TI-105.224
26	105.226	TI-105.226
28	105.228	TI-105.228
30	105.230	TI-105.230
32	105.232	TI-105.232
34	105.234	TI-105.234
36	105.236	TI-105.236
38	105.238	TI-105.238
40	105.240	TI-105.240
42	105.242	TI-105.242
44	105.244	TI-105.244
46	105.246	TI-105.246
48	105.248	TI-105.248
50	105.250	TI-105.250
52	105.252	TI-105.252
54	105.254	TI-105.254
* 55	105.255	TI-105.255
56	105.256	TI-105.256
58	105.258	TI-105.258
60	105.260	TI-105.260
65	105.265	TI-105.265
70	105.270	TI-105.270
80	105.280	TI-105.280
* 85	105.285	TI-105.285
* 90	105.290	TI-105.290



* Sizes not available in Screw Caddy

5.0mm Wise-Lock Screw, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
12	119.012	TI-119.012
14	119.014	TI-119.014
16	119.016	TI-119.016
18	119.018	TI-119.018
20	119.020	TI-119.020
22	119.022	TI-119.022
24	119.024	TI-119.024
26	119.026	TI-119.026
28	119.028	TI-119.028
30	119.030	TI-119.030
32	119.032	TI-119.032
34	119.034	TI-119.034
36	119.036	TI-119.036
38	119.038	TI-119.038
40	119.040	TI-119.040
42	119.042	TI-119.042
44	119.044	TI-119.044
46	119.046	TI-119.046
48	119.048	TI-119.048
50	119.050	TI-119.050
52	119.052	TI-119.052
54	119.054	TI-119.054
56	119.056	TI-119.056
58	119.058	TI-119.058
60	119.060	TI-119.060
65	119.065	TI-119.065
70	119.070	TI-119.070
75	119.075	TI-119.075
80	119.080	TI-119.080
85	119.085	TI-119.085
90	119.090	TI-119.090



7-060-01

Osteotomy Chisel, 10mm




7-060-02

Osteotomy Chisel, 15mm




7-060-03

Osteotomy Chisel, 20mm



7-060-04

Osteotomy Chisel, 25mm




7-060-05

Osteotomy Gap Measuring Device, 5-16mm



7-060-06

Osteotomy Bone Spreader, 0°-20°



7-060-07

Osteotomy Distractor



7-060-08

Osteotomy Stand for Alignment Rod, Large



7-060-09

Osteotomy Stand for Alignment Rod, Small



7-060-10

Osteotomy Alignment Rod, Ø6mm x Length 520mm



7-060-11

Osteotomy Alignment Rod, Ø6mm x Length 395mm



7-060-12

Torque Handle with Jacob Chuck, 4.0Nm



7-060-13

Guide Wire with Threaded Tip, Ø2.5mm x Thread Length 16mm x Length 235mm

**7-060-24**

Threaded Drill Sleeve for Drill Bit Ø4.3mm, for Wise-Lock Osteotomy

**7-060-14**

Drill Bit with Plain Shank/Jacob Chuck End, Ø3.2mm x Length 147mm, for Wise-Lock Osteotomy

**7-060-15**

Drill Bit with Plain Shank/Jacob Chuck End, Ø4.5mm x Length 150mm, for Wise-Lock Osteotomy

**7-060-16**

Drill Bit with Plain Shank/Jacob Chuck End, Ø4.3mm x Length 222mm, for Wise-Lock Osteotomy

**7-060-17**

Osteotomy Screwdriver with Silicon Handle, Hex 3.5mm



7-060-18 Osteotomy Screwdriver Shaft with Jacob Chuck End, Hex3.5mm




7-060-19 Osteotomy Double Drill Guide Ø3.2/4.5mm



7-060-20 Osteotomy Depth Gauge measuring upto 100mm



7-060-21 Osteotomy Wire Guide



7-060-22 Instrument Trays for 5.0mm Wise-Lock Osteotomy Instrument Set



7-060-23 Container for 5.0mm Wise-Lock Osteotomy Instrument Set



7-060 5.0mm Wise-Lock Osteotomy Instrument Set




7-060 5.0mm Wise-Lock Osteotomy Instrument Set


Item Code	Item Name	Unit
7-060-01	Osteotomy Chisel, 10mm	2
7-060-02	Osteotomy Chisel, 15mm	2
7-060-03	Osteotomy Chisel, 20mm	2
7-060-04	Osteotomy Chisel, 25mm	2
7-060-05	Osteotomy Gap Measuring Device, 5-16mm	2
7-060-06	Osteotomy Bone Spreader, 0°-20°	1
7-060-07	Osteotomy Distractor	1
7-060-08	Osteotomy Stand for Alignment Rod, Large	1
7-060-09	Osteotomy Stand for Alignment Rod, Small	1
7-060-10	Osteotomy Alignment Rod, Ø6mm x Length 520mm	1
7-060-11	Osteotomy Alignment Rod, Ø6mm x Length 395mm	1
7-060-12	Torque Handle with Jacob Chuck, 4.0Nm	1
7-060-13	Guide Wire with Threaded Tip, Ø2.5mm x Thread Length 16mm x Length 235mm	2
7-060-24	Threaded Drill Sleeve for Drill Bit Ø4.3mm, for Wise-Lock Osteotomy	2
7-060-14	Drill Bit with Plain Shank/Jacob Chuck End, Ø3.2mm x Length 147mm, for Wise-Lock Osteotomy	1
7-060-15	Drill Bit with Plain Shank/Jacob Chuck End, Ø4.5mm x Length 150mm, for Wise-Lock Osteotomy	2
7-060-16	Drill Bit with Plain Shank/Jacob Chuck End, Ø4.3mm x Length 222mm, for Wise-Lock Osteotomy	2
7-060-17	Osteotomy Screwdriver with Silicon Handle, Hex 3.5mm	1
7-060-18	Osteotomy Screwdriver Shaft with Jacob Chuck End, Hex3.5mm	2
7-060-19	Osteotomy Double Drill Guide Ø3.2/4.5mm	1
7-060-20	Osteotomy Depth Gauge measuring upto 100mm	1
7-060-21	Osteotomy Wire Guide	1
7-060-22	Instrument Trays for 5.0mm Wise-Lock Osteotomy Instrument Set	2
7-060-23	Container for 5.0mm Wise-Lock Osteotomy Instrument Set	1

5.0mm

Wise-Lock Large Fragment
LISS System



5.0mm Wise-Lock Distal Femur Plate(LISS) System

5.0mm Wise-Lock Distal Femur Plate(LISS)


Holes	Left Direction	Right Direction
5	10-016-05LTI	10-016-05RTI
7	10-016-07LTI	10-016-07RTI
9	10-016-09LTI	10-016-09RTI
11	10-016-11LTI	10-016-11RTI
13	10-016-13LTI	10-016-13RTI

5.0mm Wise-Lock Screw, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
12	119.012	TI-119.012
14	119.014	TI-119.014
16	119.016	TI-119.016
18	119.018	TI-119.018
20	119.020	TI-119.020
22	119.022	TI-119.022
24	119.024	TI-119.024
26	119.026	TI-119.026
28	119.028	TI-119.028
30	119.030	TI-119.030
32	119.032	TI-119.032
34	119.034	TI-119.034
36	119.036	TI-119.036
38	119.038	TI-119.038
40	119.040	TI-119.040
42	119.042	TI-119.042
44	119.044	TI-119.044
46	119.046	TI-119.046
48	119.048	TI-119.048
50	119.050	TI-119.050
52	119.052	TI-119.052
54	119.054	TI-119.054
56	119.056	TI-119.056
58	119.058	TI-119.058
60	119.060	TI-119.060
65	119.065	TI-119.065
70	119.070	TI-119.070
75	119.075	TI-119.075
80	119.080	TI-119.080
85	119.085	TI-119.085
90	119.090	TI-119.090



7-028-16 Screw Caddy for 5.0mm Wise-Lock LISS System



**5.0mm Wise-Lock Screw, Self-Tapping,
(Hex Head)**

Length (mm)	Stainless Steel	Titanium	Unit
26	119.026	TI-119.026	4
28	119.028	TI-119.028	5
30	119.030	TI-119.030	5
32	119.032	TI-119.032	5
34	119.034	TI-119.034	5
36	119.036	TI-119.036	5
38	119.038	TI-119.038	5
40	119.040	TI-119.040	5
42	119.042	TI-119.042	5
44	119.044	TI-119.044	5
46	119.046	TI-119.046	5
48	119.048	TI-119.048	5
50	119.050	TI-119.050	5
52	119.052	TI-119.052	5
54	119.054	TI-119.054	5
56	119.056	TI-119.056	5
58	119.058	TI-119.058	5
60	119.060	TI-119.060	5
65	119.065	TI-119.065	5
70	119.070	TI-119.070	5
75	119.075	TI-119.075	5
80	119.080	TI-119.080	6
85	119.085	TI-119.085	6
90	119.090	TI-119.090	6

**5.0mm Wise-Lock Screw,
Self-Tapping & Self-Drilling,(Hex Head)**

Length (mm)	Stainless Steel	Titanium	Unit
26	119.226	TI-119.226	5
28	119.228	TI-119.228	5
30	119.230	TI-119.230	5
32	119.232	TI-119.232	5
34	119.234	TI-119.234	5
36	119.236	TI-119.236	5
38	119.238	TI-119.238	5
40	119.240	TI-119.240	5
42	119.242	TI-119.242	6
44	119.244	TI-119.244	5
46	119.246	TI-119.246	5
48	119.248	TI-119.248	5
50	119.250	TI-119.250	5
55	119.255	TI-119.255	5
60	119.260	TI-119.260	5
65	119.265	TI-119.265	5
70	119.270	TI-119.270	6
75	119.275	TI-119.275	6
80	119.280	TI-119.280	6
85	119.285	TI-119.285	6
90	119.290	TI-119.290	6

7-028-01 L Wrench, Ø4.5mm for LISS System



7-028-02 T-Handle With Quick Coupling for LISS System




7-028-03 Tap with Quick Coupling End, Ø5.0mm for LISS System



7-028-04 Torque-Limiting Screwdriver Handle, 4.0Nm, for LISS System



7-028-05 Guide Sleeve, Ø7.3mm, for LISS System



7-028-06 Threaded Guide Pin, $\varnothing 2.0\text{mm}$ x Thread Length 11 mm x Total Length 280mm, for LISS System



7-028-07 Trocar $\varnothing 7.2\text{mm}$ for LISS System



7-028-08 Lifting Drill $\varnothing 4.0\text{mm}$ for LISS System



7-028-09 Screwdriver, Hex 3.5mm, for LISS System




7-028-10 Drill sleeve for Locking Screw, $\varnothing 2.2\text{mm}$, for LISS System



7-028-11 Drill Sleeve for Pin, Ø2.2mm, for LISS System



7-028-12 Drill Sleeve, Ø4.2mm, for LISS System



7-028-13 Depth Gauge, Ø2.2mm, for LISS System



7-028-14 Drill Bit Ø4.1 × 280mm for LISS System



7-028-15 Stopper for LISS System



7-028-16 Screw Caddy for 5.0mm Wise-Lock LISS System



7-029-01 5.0mm Wise-Lock Distal Femur (LISS) Guide, Left



7-029-02 5.0mm Wise-Lock Distal Femur (LISS) Guide, Right



7-029-03 Instrument Trays for 5.0mm Wise-Lock Distal Femur Plate(LISS) System



7-029-04 Container for 5.0mm Wise-Lock Distal Femur Plate(LISS) System



7-029 5.0mm Wise-Lock Distal Femur Plate (LISS) Instrument set



7-029 5.0mm Wise-Lock Distal Femur Plate (LISS) Instrument set

Codes	Set Consisting of:	Units
7-028-01	L Wrench, Ø4.5mm for LISS System	1
7-028-02	T-Handle With Quick Coupling for LISS System	1
7-028-03	Tap with Quick Coupling End, Ø5.0mm for LISS System	2
7-028-04	Torque-Limiting Screwdriver Handle, 4.0Nm, for LISS System	1
7-028-05	Guide Sleeve, Ø7.3mm, for LISS System	4
7-028-06	Threaded Guide Pin, Ø2.0mm x Thread Length 11mm x Total Length 280mm, for LISS System	4
7-028-07	Trocar Ø7.2mm for LISS System	1
7-028-08	Lifting Drill Ø4.0mm for LISS System	2
7-028-09	Screwdriver, Hex 3.5mm, for LISS System	2
7-028-10	Drill sleeve for Locking Screw, Ø2.2mm, for LISS System	1
7-028-11	Drill Sleeve for Pin, Ø2.2mm, for LISS System	2
7-028-12	Drill Sleeve, Ø4.2mm, for LISS System	2
7-028-13	Depth Gauge, Ø2.2mm, for LISS System	1
7-028-14	Drill Bit Ø4.1 x 280mm for LISS System	2
7-028-15	Stopper for LISS System	20
7-028-16	Screw Caddy for 5.0mm Wise-Lock LISS System	1
7-029-01	5.0mm Wise-Lock Distal Femur (LISS) Guide, Left	1
7-029-02	5.0mm Wise-Lock Distal Femur (LISS) Guide, Right	1
7-029-03	Instrument Trays for 5.0mm Wise-Lock Distal Femur Plate(LISS) System	2
7-029-04	Container for 5.0mm Wise-Lock Distal Femur Plate(LISS) System	1



5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS) System

5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS)


Holes	Left Direction	Right Direction
5	10-017-05LTI	10-017-05RTI
7	10-017-07LTI	10-017-07RTI
9	10-017-09LTI	10-017-09RTI
11	10-017-11LTI	10-017-11RTI
13	10-017-13LTI	10-017-13RTI

5.0mm Wise-Lock Screw, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
12	119.012	TI-119.012
14	119.014	TI-119.014
16	119.016	TI-119.016
18	119.018	TI-119.018
20	119.020	TI-119.020
22	119.022	TI-119.022
24	119.024	TI-119.024
26	119.026	TI-119.026
28	119.028	TI-119.028
30	119.030	TI-119.030
32	119.032	TI-119.032
34	119.034	TI-119.034
36	119.036	TI-119.036
38	119.038	TI-119.038
40	119.040	TI-119.040
42	119.042	TI-119.042
44	119.044	TI-119.044
46	119.046	TI-119.046
48	119.048	TI-119.048
50	119.050	TI-119.050
52	119.052	TI-119.052
54	119.054	TI-119.054
56	119.056	TI-119.056
58	119.058	TI-119.058
60	119.060	TI-119.060
65	119.065	TI-119.065
70	119.070	TI-119.070
75	119.075	TI-119.075
80	119.080	TI-119.080
85	119.085	TI-119.085
90	119.090	TI-119.090



7-028-16 Screw Caddy for 5.0mm Wise-Lock LISS System



**5.0mm Wise-Lock Screw, Self-Tapping,
(Hex Head)**

Length (mm)	Stainless Steel	Titanium	Unit
26	119.026	TI-119.026	4
28	119.028	TI-119.028	5
30	119.030	TI-119.030	5
32	119.032	TI-119.032	5
34	119.034	TI-119.034	5
36	119.036	TI-119.036	5
38	119.038	TI-119.038	5
40	119.040	TI-119.040	5
42	119.042	TI-119.042	5
44	119.044	TI-119.044	5
46	119.046	TI-119.046	5
48	119.048	TI-119.048	5
50	119.050	TI-119.050	5
52	119.052	TI-119.052	5
54	119.054	TI-119.054	5
56	119.056	TI-119.056	5
58	119.058	TI-119.058	5
60	119.060	TI-119.060	5
65	119.065	TI-119.065	5
70	119.070	TI-119.070	5
75	119.075	TI-119.075	5
80	119.080	TI-119.080	6
85	119.085	TI-119.085	6
90	119.090	TI-119.090	6

**5.0mm Wise-Lock Screw,
Self-Tapping & Self-Drilling,(Hex Head)**

Length (mm)	Stainless Steel	Titanium	Unit
26	119.226	TI-119.226	5
28	119.228	TI-119.228	5
30	119.230	TI-119.230	5
32	119.232	TI-119.232	5
34	119.234	TI-119.234	5
36	119.236	TI-119.236	5
38	119.238	TI-119.238	5
40	119.240	TI-119.240	5
42	119.242	TI-119.242	6
44	119.244	TI-119.244	5
46	119.246	TI-119.246	5
48	119.248	TI-119.248	5
50	119.250	TI-119.250	5
55	119.255	TI-119.255	5
60	119.260	TI-119.260	5
65	119.265	TI-119.265	5
70	119.270	TI-119.270	6
75	119.275	TI-119.275	6
80	119.280	TI-119.280	6
85	119.285	TI-119.285	6
90	119.290	TI-119.290	6

7-028-01 L Wrench, Ø4.5mm for LISS System



7-028-02 T-Handle With Quick Coupling for LISS System




7-028-03 Tap with Quick Coupling End, Ø5.0mm for LISS System



7-028-04 Torque-Limiting Screwdriver Handle, 4.0Nm, for LISS System



7-028-05 Guide Sleeve, Ø7.3mm, for LISS System



7-028-06 Threaded Guide Pin, $\varnothing 2.0\text{mm}$ x Thread Length 11 mm x Total Length 280mm, for LISS System



7-028-07 Trocar $\varnothing 7.2\text{mm}$ for LISS System



7-028-08 Lifting Drill $\varnothing 4.0\text{mm}$ for LISS System




7-028-09 Screwdriver, Hex 3.5mm, for LISS System



7-028-10 Drill sleeve for Locking Screw, $\varnothing 2.2\text{mm}$, for LISS System



7-028-11 Drill Sleeve for Pin, Ø2.2mm, for LISS System



7-028-12 Drill Sleeve, Ø4.2mm, for LISS System



7-028-13 Depth Gauge, Ø2.2mm, for LISS System



7-028-14 Drill Bit Ø4.1 × 280mm for LISS System



7-028-15 Stopper for LISS System



7-028-16 Screw Caddy for 5.0mm Wise-Lock LISS System



7-030-01 5.0mm Wise-Lock Proximal Lateral Tibia(LISS) Guide, Left



7-030-02 5.0mm Wise-Lock Proximal Lateral Tibia(LISS) Guide, Right



7-030-03 Trays for 5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS) Instrument set



7-030-04 Container for 5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS) Instrument set



7-030 5.0mm Wise-Lock Proximal Lateral Tibia Plate (LISS) Instrument set



7-030 5.0mm Wise-Lock Proximal Lateral Tibia Plate (LISS) Instrument set

Codes	Set Consisting of:	Units
7-028-01	L Wrench, Ø4.5mm for LISS System	1
7-028-02	T-Handle With Quick Coupling for LISS System	1
7-028-03	Tap with Quick Coupling End, Ø5.0mm for LISS System	2
7-028-04	Torque-Limiting Screwdriver Handle, 4.0Nm, for LISS System	1
7-028-05	Guide Sleeve, Ø7.3mm, for LISS System	4
7-028-06	Threaded Guide Pin, Ø2.0mm x Thread Length 11mm x Total Length 280mm, for LISS System	4
7-028-07	Trocar Ø7.2mm for LISS System	1
7-028-08	Lifting Drill Ø4.0mm for LISS System	2
7-028-09	Screwdriver, Hex 3.5mm, for LISS System	2
7-028-10	Drill sleeve for Locking Screw, Ø2.2mm, for LISS System	1
7-028-11	Drill Sleeve for Pin, Ø2.2mm, for LISS System	2
7-028-12	Drill Sleeve, Ø4.2mm, for LISS System	2
7-028-13	Depth Gauge, Ø2.2mm, for LISS System	1
7-028-14	Drill Bit Ø4.1 x 280mm for LISS System	2
7-028-15	Stopper for LISS System	20
7-028-16	Screw Caddy for 5.0mm Wise-Lock LISS System	1
7-030-01	5.0mm Wise-Lock Proximal Lateral Tibia(LISS) Guide, Left	1
7-030-02	5.0mm Wise-Lock Proximal Lateral Tibia(LISS) Guide, Right	1
7-030-03	Trays for 5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS) Instrument set	2
7-030-04	Container for 5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS) Instrument set	1



USA

Auxein Inc.
1500 Nw 89th Court, Suite 107-108
Doral, Florida 33172
Tel: +1 305 395 6062
E Fax: +1 305 395 6262
Email: USoffice@auxein.com

MEXICO

Auxein México, S.A. de C.V.
Tepic 139 int 801, Colonia Roma Sur,
Alcaldía Cuauhtémoc, CDMX,
México, C.P. 06760
Tel: +521 55 7261 0318
Email: info@auxein.mx

INDIA

Auxein Medical Pvt. Ltd.
Plot No. 168-169-170, Phase-4,
Kundli Industrial Area,
HSIIDC, Sector-57, Sonapat - 131028, Haryana
Tel: +91 99106 43638 | Fax: +91 86077 70197
Email: info@auxein.com